

CHAIRS WITH MECHANISMS GCP-GY
AND ARMRESTS BH
IN CONFORMITY TO UNI EN-1335
TYPE B

COMPONENTS



CIAK (PADDED OPERATIVE CHAIR)

SWIVEL BASE

- (PLN3) Black nylon base, 680 mm diameter, 5 spokes.

WHEELS

Self-braking black nylon castors (50 mm diameter) with zinc-coated steel pin, snap-fit. Rubberized wheels optional.

(OPTIONAL) Polyamide feet interchangeable with the wheels with the same pin for fixing to the base.

ELEVATION

All the gas columns comply with the DIN 4550 standard and exceed the 4th level.

MECHANISMS

Available in two kinds:

- (GCP) Gas Permanent Contact

With this mechanism you can:

- adjust the height of the gas piston;
- adjust the height of the backrest with UP/DOWN system
- adjust the deep of the backrest with rotation of the knob;
- adjust the tilt of the backrest with rotation of the knob;
- rotate the seat 360°.

- (GY) Gas Synchron

Mechanism with a synchronous seat-back movement, which can be blocked in 4 positions.

With this mechanism you can:

- adjust the height of the gas piston;
- adjust load intensity based on weight with rotation of the knob;
- use the anti-shock lever to lock or unlock the synchron ;
- rotate the seat 360°.

ARMRESTS

Available in two kinds:

- (BF1) Fixed shaped armrest made from black polypropylene (recycled materials).

- (BH) "T" shaped armrest with adjustable height, made from black polypropylene.

(OPTIONAL) Are available for BH type armrests, 2 black soft PAD.

SEAT

Supporting structure made from black polypropylene reinforced with steel bars, covered with a 40mm thick fire-retardant rubber in non-deformable polyurethane expanded with a density 40 kg/m³.

BACKREST

Supporting structure made from black polypropylene, covered with a 40mm thick fire-retardant rubber in non-deformable polyurethane



expanded with a density 30 kg/m³.

Backrest with adjustable height with UP & DOWN system.

UPHOLSTERY

Finishes and colors available in the LAS Colors Samples Card.

DIMENSIONS



UPHOLSTERY	FEATURES	AVAILABILITY
Poli		■
Ecopelle		■
Crepe		■
Stretch		■
Melange		■
Trevi		■
Lana		
Crazy by Flukso		■
Chili by Gabriel		
Taylor by Flukso		■
Go Check by Gabriel		■
Crisp by Gabriel		
Pelle		
Customer fabric		■

SHIPPING SPECIFICATION	TECHNICAL FEATURES	FIRE-RETARDANT TEST	SHIPPING SPECIFICATION
Version without armrests - Pcs. 1 - m³ 0,188 - Kg 17	Fabric used mtl 0,92 h.140	For specification, please you see the color samples card. Contact us for more information.	For specification, please you see the color samples card. Contact us for more information.
Version with armrests BF1 - Pcs. 1 - m³ 0,188 - Kg 18	Fabric used mtl 0,92 h.140		
Version with armrests BH - Pcs. 1 - m³ 0,188 - Kg 19	Fabric used mtl 0,92 h.140		



USE AND MAINTENANCE

GENERAL INFORMATION

Do not expose the seating to direct sunlight and keep it at least 30 cm from any heat source;
Do not sit with abrasive accessories, sharp objects in your pocket or jacket (keys, buttons, zippers, etc.) that may damage the fabric.
Fabrics can fade. It may happen that under certain circumstances, colored clothes or jeans may stain the upholstery.
Furthermore, the light colors of the fabrics and leathers are more susceptible to getting dirty.
Choose the correct wheels for the type of floor on which the chair will be used.
Rigid wheels on carpets or rugs (TYPE H) Soft wheels on hard ground: marble, tiles, ... etc.
Wheels should be cleaned from time to time with gauze to remove fluff and dust.

USE

This product is for indoor use only. The chair must be used in compliance with the aim for which it has been projected (office swivel chair) and with diligence. Improper use (e.g. climbing the chair with feet) may cause instability, falling down and/or serious injury to persons and objects.
Do not modify the chair in a way that could compromise its stability. Gas column substitution or reparation must be performed by trained staff only.

CLEANING AND MAINTENANCE

As a general rule, we recommend using cleaning products that do not harm the environment.
Follow the manufacturer's instructions for cleaning products.
Before cleaning stains, try, as far as possible, to perform a test on a hidden area.

FABRICS

POLI - CREPE - TREVI - STRETCH - MELANGE – LANA - CRISP

For normal maintenance and cleaning, use the vacuum cleaner with smooth spout regularly, don't brush.

TAYLOR F.R.

Use the smooth spout vacuum cleaner regularly without brushing.
Immediately remove food residues and any oil, milk and drink stains.
Dab quickly with absorbent paper and brush gently with water and neutral soap or 20% water and alcohol solution. **GENERAL WARNINGS**
The remedies indicated are effective in 90% of cases. The lack of timeliness in the action makes the cleaning less effective, resulting in the permanence of halos.

GO CHECK – CHILI - RETE ROUND – RETE BREAK – RETE GABRIEL

Use the smooth spout vacuum cleaner regularly without brushing. Immediately remove food residues and any oil, milk and drink stains.
Dab quickly with absorbent paper and wipe gently with water and neutral soap using a clean white cotton cloth.

ECOPELLE - CRAZY

Immediately absorb the stain with absorbent paper, then wipe with a damp cloth and neutral soap.
Dry immediately after treatment. Do not rub, but dab gently from the edges towards the center of the stain. Repeat the operation if necessary.
Absolutely avoid the use of products containing any type of solvents, bleaches, alcohol, chemical detergents and polishing sprays.

PELLE (REAL LEATHER)

Possible leather scratches and marks are not to be considered imperfections but a guarantee of its quality and authenticity.
Slight differences between dying lots are considered normal. For a normal cleaning, sprinkle with a soft, dry white cloth.
Any stains can be removed using a white cloth dampened with water and neutral soap.
After cleaning carefully, pass a damp cloth soaked in water, so as to remove any residue of detergent.
Dry immediately after treatment. Do not rub, but dab gently from the edges towards the center of the stain.
Do not dry in direct sunlight or with hair dryer.

METALS (STEEL OR ALUMINIUM)

To preserve the brilliant Chrome finish, regularly wipe with a soft clean cloth using only mild soap and water.
Do not use solvents or acids. Dry with a dry cotton cloth.
Polished aluminium undergoes a natural oxidation process, any stains can be removed using a soft wax suitable for metals.

PLASTIC MATERIAL

For normal maintenance and cleaning use a soft clean cloth with water and neutral soap.
Dry with a cotton cloth. Avoid using solvents.

PHASING OUT AND DISPOSAL OF THE PRODUCT

- At the end of their life cycle, the materials must not be left lying around in nature but consigned to the authorized disposal centers.



WARRANTY

The original buyer of LAS MOBILI s.r.l. chair unit is covered by a 5 (five) year warranty, starting from the day of purchase, with the following exceptions.

Exposed parts such as:

Covering warranty 3 (three) years

Padding warranty 2 (two) years

The LAS MOBILI s.r.l. warranty is expressly restricted to the replacement of parts and components of the chair.

For all other aspects, consult the current price list

LAS MOBILI s.r.l.

Via dell'Industria, 81

64018 Tortoreto (TE) – Italy

Tel. +39 0861 7831

Fax +39 0861 786851

las@las.it – www.las.it

Since the Company is constantly committed to the improvement of its products, all descriptions, dimensions, indications etc. shown on this sheet are to be considered indicative. They can therefore be subject to change without notice and without this implying any responsibility on our part or that of our dealers.

Ciak is a stylish alternative to classic chairs with rounded shapes. The squared and dominating backrest expresses the evolution in the design of office chairs.

CHAIRS WITH MECHANISM GY AND ARMRESTS BH-
BHP
IN CONFORMITY TO UNI EN-1335 TIPO B

COMPONENTS



CIAK RETE (OPERATIVE CHAIR WITH MESH BACKREST)

SWIVEL BASE

Available in two kinds:

- (PLN3) Black nylon base, 680 mm diameter, 5 Spokes.
- (ALC7) Polished die-cast aluminium base, 700 mm diameter, 5 spokes.

WHEELS

Self-braking black nylon castors (50 mm diameter) with zinc-coated steel pin, snap-fit. Rubberized wheels optional.

(OPTIONAL) Polyamide feet interchangeable with the wheels with the same pin for fixing to the base.

ELEVATION

All the gas columns comply with the DIN 4550 standard and exceed the 4th level.

MECHANISM

- (GY) Gas Synchron

Mechanism with a synchronous seat-back movement which can be blocked in 4 positions. With this mechanism you can:

- adjust the height of the gas piston;
- adjust load intensity based on weight with rotation of the knob;
- use the anti-shock lever to lock or unlock the synchron ;
- rotate the seat 360°.

ARMRESTS

Available in three kinds:

- (BF1) Fixed shaped armrest made from black polypropylene (recycled materials).
 - (BH) "T" shaped armrest with adjustable height, made from black polypropylene.
 - (BHP) "T" shaped armrest with adjustable height and depth, made from black polypropylene, black stirrup and black nylon pad.
- (OPTIONAL) Are available for BH type armrests, 2 black soft PAD.



SEAT

Supporting structure made from black polypropylene reinforced with steel bars, covered with a 40mm thick fire-retardant rubber in non-deformable polyurethane expanded with a density 40 kg/m³.

BACKREST

Frame made from black nylon, covered with black mesh fabric (R2 - RETE BREAK) , with lumbar support adjustable height.

HEADREST (OPTIONAL):

Frame made from black nylon, covered with with a 20mm thick fire-retardant rubber in non-deformable polyurethane expanded with a density 20 kg/m³.

UPHOLSTERY

Finishes and colors available in the LAS Colors Samples Card.

DIMENSIONS



UPHOLSTERY	FEATURES	AVAILABILITY
Poli		■
Ecopelle		■
Crepe		■
Stretch		■
Melange		■
Trevi		■
Lana		
Crazy by Flukso		■
Chili by Gabriel		
Taylor by Flukso		■
Go Check by Gabriel		■
Crisp by Gabriel		
Pelle		
Customer fabric		■

BACKREST MESH	FEATURES	AVAILABILITY
R1- Rete ROUND		
R2- Rete BREAK		■
R3- Rete GABRIEL		



SHIPPING SPECIFICATION	TECHNICAL FEATURES	FIRE-RETARDANT TEST	SHIPPING SPECIFICATION
Version without armrests • Pcs. 1 • m³ 0,239 • Kg 15	Fabric used mtl 0,45 h.140	For specification, please you see the color samples card. Contact us for more information.	For specification, please you see the color samples card. Contact us for more information.
Version with armrests BF1 • Pcs. 1 • m³ 0,239 • Kg 16	Fabric used mtl 0,45 h.140		
Version with armrests BH • Pcs. 1 • m³ 0,239 • Kg 17	Fabric used mtl 0,45 h.140		
Version with armrests BHP • Pcs. 1 • m³ 0,239 • Kg 19	Fabric used mtl 0,45 h.140		



USE AND MAINTENANCE

GENERAL INFORMATION

Do not expose the seating to direct sunlight and keep it at least 30 cm from any heat source;
Do not sit with abrasive accessories, sharp objects in your pocket or jacket (keys, buttons, zippers, etc.) that may damage the fabric.
Fabrics can fade. It may happen that under certain circumstances, colored clothes or jeans may stain the upholstery.
Furthermore, the light colors of the fabrics and leathers are more susceptible to getting dirty.
Choose the correct wheels for the type of floor on which the chair will be used.
Rigid wheels on carpets or rugs (TYPE H) Soft wheels on hard ground: marble, tiles, ... etc.
Wheels should be cleaned from time to time with gauze to remove fluff and dust.

USE

This product is for indoor use only. The chair must be used in compliance with the aim for which it has been projected (office swivel chair) and with diligence. Improper use (e.g. climbing the chair with feet) may cause instability, falling down and/or serious injury to persons and objects.
Do not modify the chair in a way that could compromise its stability. Gas column substitution or reparation must be performed by trained staff only.

CLEANING AND MAINTENANCE

As a general rule, we recommend using cleaning products that do not harm the environment.
Follow the manufacturer's instructions for cleaning products.
Before cleaning stains, try, as far as possible, to perform a test on a hidden area.

FABRICS

POLI - CREPE - TREVI - STRETCH - MELANGE – LANA - CRISP

For normal maintenance and cleaning, use the vacuum cleaner with smooth spout regularly, don't brush.

TAYLOR F.R.

Use the smooth spout vacuum cleaner regularly without brushing.
Immediately remove food residues and any oil, milk and drink stains.
Dab quickly with absorbent paper and brush gently with water and neutral soap or 20% water and alcohol solution. **GENERAL WARNINGS**
The remedies indicated are effective in 90% of cases. The lack of timeliness in the action makes the cleaning less effective, resulting in the permanence of halos.

GO CHECK – CHILI - RETE ROUND – RETE BREAK – RETE GABRIEL

Use the smooth spout vacuum cleaner regularly without brushing. Immediately remove food residues and any oil, milk and drink stains.
Dab quickly with absorbent paper and wipe gently with water and neutral soap using a clean white cotton cloth.

ECOPELLE - CRAZY

Immediately absorb the stain with absorbent paper, then wipe with a damp cloth and neutral soap.
Dry immediately after treatment. Do not rub, but dab gently from the edges towards the center of the stain. Repeat the operation if necessary.
Absolutely avoid the use of products containing any type of solvents, bleaches, alcohol, chemical detergents and polishing sprays.

PELLE (REAL LEATHER)

Possible leather scratches and marks are not to be considered imperfections but a guarantee of its quality and authenticity.
Slight differences between dying lots are considered normal. For a normal cleaning, sprinkle with a soft, dry white cloth.
Any stains can be removed using a white cloth dampened with water and neutral soap.
After cleaning carefully, pass a damp cloth soaked in water, so as to remove any residue of detergent.
Dry immediately after treatment. Do not rub, but dab gently from the edges towards the center of the stain.
Do not dry in direct sunlight or with hair dryer.

METALS (STEEL OR ALUMINIUM)

To preserve the brilliant Chrome finish, regularly wipe with a soft clean cloth using only mild soap and water.
Do not use solvents or acids. Dry with a dry cotton cloth.
Polished aluminium undergoes a natural oxidation process, any stains can be removed using a soft wax suitable for metals.

PLASTIC MATERIAL

For normal maintenance and cleaning use a soft clean cloth with water and neutral soap.
Dry with a cotton cloth. Avoid using solvents.

PHASING OUT AND DISPOSAL OF THE PRODUCT

- At the end of their life cycle, the materials must not be left lying around in nature but consigned to the authorized disposal centers.



Omega Ekspres SIA

LV40003402577

Biroja adrese: Lāčplēša 125, LV-1003, Rīga

www.city-office.lv

info@city-office.lv

WARRANTY

The original buyer of LAS MOBILI s.r.l. chair unit is covered by a 5 (five) year warranty, starting from the day of purchase, with the following exceptions. Exposed parts such as:

Covering warranty 3 (three) years

Padding warranty 2 (two) years

The LAS MOBILI s.r.l. warranty is expressly restricted to the replacement of parts and components of the chair.

For all other aspects consult the current price list

LAS MOBILI s.r.l.

Via dell'Industria, 81

64018 Tortoreto (TE) – Italy

Tel. +39 0861 7831

Fax +39 0861 786851

las@las.it – www.las.it

Since the Company is constantly committed to the improvement of its products, all descriptions, dimensions, indications etc. shown on this sheet are to be considered indicative. They can therefore be subject to change without notice and without this implying any responsibility on our part or that of our dealers.