



Fen


1. Dimensions/Weight




FEN 4L
weight: 5.40 kg




FEN 4L-ARM
weight: 6.50 kg




FEN-CLICK 4L_2




FEN-CLICK 4L_3




FEN 4L-ARM-TR
weight: 7.70 kg




FEN 4L-ARM-TRA
weight: 7.40 kg




FEN-CLICK 4L-ARM_2




FEN-CLICK 4L-ARM_3




TR TABLET TOP
weight: 0.80 kg



TRA TABLET TOP
weight: 0.45 kg



UNIVERSAL ROW CONNECTOR
weight: 0.95 kg



CART
weight: 5.65 kg

2. Materials/Versions

2.1. Frame

2.1.1. Frame

4-leg frame (4L) – steel tubes $\varnothing 18 \times 2.0$ mm.

4-leg frame with armrests (4L-ARM) – steel tubes $\varnothing 18 \times 2.0$ mm.

4-leg frame with writing tablet (4L-ARM-TR) – steel tubes $\varnothing 18 \times 2.0$ mm, linkable chairs, not stackable.

4-leg frame with Anti-Panic writing tablet (4L-ARM-TRA) – steel tubes $\varnothing 18 \times 2.0$ mm, linkable chair.

Finish options for all versions:

- powder-coated in White aluminium RAL 9006 (ALU),
- powder-coated in Jet black RAL 9005 (BL),
- or „Fashion Collection“ colour,
- chromium plated (CR).

Stacking:

All versions up to 4 pieces, 10 pieces on cart (not applicable to TR version).

2.1.2. Click/link

CLICK – metal sliding link to connect chairs into rows available for FEN chair with or without armrests.

NRM – row numbering, 3D sticker available for wooden backrest (WOOD, LAMINATE, SEAT-PLUS) or embroidery available for upholstered backrest (PLUS, B-PLUS, A-PLUS).

UNIVERSAL ROW CONNECTOR

- dedicated to connect rows of chairs,
- distance adjustment: 470–530 mm,
- possibility of mounting to the floor,
- powder-coated in Jet black RAL 9005 (BL)

2.2. Glides

Glides for soft floors (GB) as standard or hard floors (GBF) as an option.

2.3. Seat and backrest

Wooden shell (WOOD) – made of 8-layer beech plywood, thickness 10.5 mm.

Laminated wooden shell (LAMINATE) – made of 8-layer beech plywood with two external layers of laminate, thickness 10.5 mm. Visible plywood edges protected with wax.

Wooden shell with upholstered pad on seat (SEAT-PLUS) – seat pad made of 3-layer beech plywood, thickness 4.5 mm, covered with foam thickness 20 mm, density 25 kg/m³.

Wooden shell with upholstered seat and backrest pads (PLUS) – seat pad made of 3-layer beech plywood, thickness 4.5 mm, covered with foam thickness 20 mm, density 25 kg/m³, backrest pad made of 3-layer beech plywood, thickness 4.5 mm, covered with foam, thickness 20 mm, density 25 kg/m³.

Wooden shell with front part fully upholstered (B-PLUS) – the pad is made of 3-layer beech plywood, thickness 4.5 mm, covered with foam thickness 20 mm, density 25 kg/m³.

Fully upholstered shell (A-PLUS) – front pad made of foam thickness 20 mm, density 25 kg/m³, back pad made of foam thickness 10 mm, density 25 kg/m³.

2.4. Armrest

Fixed armrests – integrated with chair frame, armrest pads made of 8-layer beech plywood, thickness 12 mm.

Finish options:

- stained wood (NF-xx) as standard,
- laminated wood (NF-LAMINATE-yy) as an option, visible plywood edges protected with wax.

2.5. Writing tablet

Standard version (TR) – made of 7-layer beech plywood, thickness 10.5 mm.

Finish options:

- stained wood (TR-xx) as standard,
- laminated wood (TR-LAMINATE-yy) as an option, visible plywood edges protected with wax.

Anti-Panic version (TRA) – made of 7-layer beech plywood, thickness 10.5 mm. The tablet folds automatically, available with amortisation function.

Finish options:

- stained wood (TRA-xx) as standard,
- laminated wood (TRA-LAMINATE-yy) as an option, visible plywood edges protected with wax.

3. Accessories

FEN CART

- made of steel tube diameter 22 × 1.5 mm,
 - 4 castors diameter 75 mm, 2 castors with manual brakes,
 - powder-coated in Jet black RAL 9005 colour.
- Cart dimensions:
590 mm x 600 mm x 255 mm (height)

4. Packaging

FEN 4L and 4L-ARM – 4 pieces per box

(assembled), 4 boxes per pallet

FEN 4L-ARM TRA/TLA – 3 pieces per box

(assembled), 4 boxes per pallet

FEN 4L-ARM TR/TL – 3 pieces per box (chair assembled, writing tablet packed separately), 4 boxes per pallet.

5. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

Durability certificate – compliant with EN 16139.

Omega Ekspres SIA

LV40003402577

Biroja adrese: Lāčplēša 125, LV-1003, Rīga

www.city-office.lv

info@city-office.lv