

Product sheet

Nora

modular seating system



Technical Data

- Backrest - plywood frame, cut foam with a density of 40 kg/m³, upholstered;
- Seat - plywood covered with cut foam, density of 40 kg/m³, upholstered;
- Tabletop - MDF board, 28 mm, veneered, lacquered, according to the colour of the frame;
- Base - tube Ø 25 mm, wall thickness 2 mm, powder-coated;
- Max load - 120 kg.

Selected configuration

NOR406**Height:** 810 mm**Width:** 2212 mm**Length:** 1330 mm**Nora:** Wavy**Fabric:** A-60011 Grey**Colour of the frame:** Olive semi-matt RAL 6013

Guarantee

.mdd products - 5 years.

Electrical components - 2 years.

Certificates



Sustainability

- Some of the available upholstery fabrics are made from recycled materials.
- Wood-based materials used in the production of .mdd furniture are acquired from FSC-certified producers.

Material composition & packaging

- MFC: 39%;
- Steel: 26%;
- Plastic: 3% ;
- Fabric: 16%;
- Polyurethane foam: 8%;
- Cardboard: 8%.

*average values for a representative of the group.

Recycled content

34,0%

Recyclability

- Recycling: 100%
- Downcycling: 0%

*average values for a representative of the group.

Fabric technical data

A-60011 Grey

	Price Group	II
	Material	100% polyester
	Weight	353g/m2
	Abrasion Resistance	110,000 Rubs Martindale (EN ISO 12947-2); 100,000 double rubs wyzenbeek ASTM D4157
	Colour Fastness to Light	scale 1-8, max 8 • EN ISO 105-B02 5-7
	Colour Fastness to Rubbing	scale 1-5, max 5 • EN ISO 105x12 (wet/dry) 4-5/4-5
	Flammability	ASTM E 84, BS 476 Part 7, class 1, BS EN 1021-1 cigarette, BS EN 1021-2 match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, NF P 92-503 M3
	Manufacturer	GABRIEL
	Fabric Manufacturer’s Warranty	10 years

Nora

modular seating system

Technical Data

- Backrest - plywood frame, cut foam with a density of 40 kg/m³, upholstered;
 - Seat - plywood covered with cut foam, density of 40 kg/m³, upholstered;
 - Tabletop - MDF board, 28 mm, veneered, lacquered, according to the colour of the frame;
 - Base - tube Ø 25 mm, wall thickness 2 mm, powder-coated;
 - Max load - 120 kg.
-

Selected configuration

NOR404

Height: 810 mm

Width: 2638 mm

Length: 1717 mm

Nora: Wavy

Fabric: A-60011 Grey

Colour of the frame: Olive semi-matt RAL 6013

Sustainability

- Some of the available upholstery fabrics are made from recycled materials.
 - Wood-based materials used in the production of .mdd furniture are acquired from FSC-certified producers.
-

Material composition & packaging



Guarantee

.mdd products - 5 years.

Electrical components - 2 years.

Certificates



- MFC: 39%;
- Steel: 26%;
- Plastic: 3% ;
- Fabric: 16%;
- Polyurethane foam: 8%;
- Cardboard: 8%.

*average values for a representative of the group.

Recycled content

34,0%

Recyclability

- Recycling: 100%
- Downcycling: 0%

*average values for a representative of the group.

Fabric technical data

A-60011 Grey

	Price Group	II
	Material	100% polyester
	Weight	353g/m2
	Abrasion Resistance	110,000 Rubs Martindale (EN ISO 12947-2); 100,000 double rubs wyzenbeek ASTM D4157
	Colour Fastness to Light	scale 1-8, max 8 • EN ISO 105-B02 5-7
	Colour Fastness to Rubbing	scale 1-5, max 5 • EN ISO 105x12 (wet/dry) 4-5/4-5
	Flammability	ASTM E 84, BS 476 Part 7, class 1, BS EN 1021-1 cigarette, BS EN 1021-2 match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, NF P 92-503 M3
	Manufacturer	GABRIEL
	Fabric Manufacturer’s Warranty	10 years

Nora

modular seating system

Technical Data

- Backrest - plywood frame, cut foam with a density of 40 kg/m³, upholstered;
 - Seat - plywood covered with cut foam, density of 40 kg/m³, upholstered;
 - Tabletop - MDF board, 28 mm, veneered, lacquered, according to the colour of the frame;
 - Base - tube Ø 25 mm, wall thickness 2 mm, powder-coated;
 - Max load - 120 kg.
-

Selected configuration

NOR402

Height: 810 mm

Width: 1875 mm

Length: 2482 mm

Nora: Wavy

Fabric: A-60011 Grey

Colour of the frame: Olive semi-matt RAL 6013

Direction of the configuration: Right

Sustainability

- Some of the available upholstery fabrics are made from recycled materials.
 - Wood-based materials used in the production of .mdd furniture are acquired from FSC-certified producers.
-

Material composition & packaging



Guarantee

.mdd products - 5 years.

Electrical components - 2 years.

Certificates



- MFC: 39%;
- Steel: 26%;
- Plastic: 3% ;
- Fabric: 16%;
- Polyurethane foam: 8%;
- Cardboard: 8%.

*average values for a representative of the group.

Recycled content

34,0%

Recyclability

- Recycling: 100%
- Downcycling: 0%

*average values for a representative of the group.

Fabric technical data

A-60011 Grey



Price Group	II
Material	100% polyester
Weight	353g/m2
Abrasion Resistance	110,000 Rubs Martindale (EN ISO 12947-2); 100,000 double rubs wyzenbeek ASTM D4157
Colour Fastness to Light	scale 1-8, max 8 • EN ISO 105-B02 5-7
Colour Fastness to Rubbing	scale 1-5, max 5 • EN ISO 105x12 (wet/dry) 4-5/4-5
Flammability	ASTM E 84, BS 476 Part 7, class 1, BS EN 1021-1 cigarette, BS EN 1021-2 match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, NF P 92-503 M3
Manufacturer	GABRIEL
Fabric Manufacturer’s Warranty	10 years

Nora

modular seating system

Technical Data

- Backrest - plywood frame, cut foam with a density of 40 kg/m³, upholstered;
 - Seat - plywood covered with cut foam, density of 40 kg/m³, upholstered;
 - Tabletop - MDF board, 28 mm, veneered, lacquered, according to the colour of the frame;
 - Base - tube Ø 25 mm, wall thickness 2 mm, powder-coated;
 - Max load - 120 kg.
-

Selected configuration

NOR202

Height: 810 mm

Width: 2437 mm

Length: 2437 mm

Nora: Corner

Fabric: A-60011 Grey

Colour of the frame: Olive semi-matt RAL 6013

Sustainability

- Some of the available upholstery fabrics are made from recycled materials.
 - Wood-based materials used in the production of .mdd furniture are acquired from FSC-certified producers.
-

Material composition & packaging



Guarantee

.mdd products - 5 years.

Electrical components - 2 years.

Certificates



- MFC: 39%;
- Steel: 26%;
- Plastic: 3% ;
- Fabric: 16%;
- Polyurethane foam: 8%;
- Cardboard: 8%.

*average values for a representative of the group.

Recycled content

34,0%

Recyclability

- Recycling: 100%
- Downcycling: 0%

*average values for a representative of the group.

Fabric technical data

A-60011 Grey

	Price Group	II
	Material	100% polyester
	Weight	353g/m2
	Abrasion Resistance	110,000 Rubs Martindale (EN ISO 12947-2); 100,000 double rubs wyzenbeek ASTM D4157
	Colour Fastness to Light	scale 1-8, max 8 • EN ISO 105-B02 5-7
	Colour Fastness to Rubbing	scale 1-5, max 5 • EN ISO 105x12 (wet/dry) 4-5/4-5
	Flammability	ASTM E 84, BS 476 Part 7, class 1, BS EN 1021-1 cigarette, BS EN 1021-2 match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, NF P 92-503 M3
	Manufacturer	GABRIEL
	Fabric Manufacturer’s Warranty	10 years

Nora

modular seating system

Technical Data

- Backrest - plywood frame, cut foam with a density of 40 kg/m³, upholstered;
- Seat - plywood covered with cut foam, density of 40 kg/m³, upholstered;
- Tabletop - MDF board, 28 mm, veneered, lacquered, according to the colour of the frame;
- Base - tube Ø 25 mm, wall thickness 2 mm, powder-coated;
- Max load - 120 kg.

Selected configuration

NOR203

Height: 810 mm

Width: 2437 mm

Length: 2437 mm

Nora: Corner

Fabric: A-60011 Grey

Colour of the frame: Olive semi-matt RAL 6013

Sustainability

- Some of the available upholstery fabrics are made from recycled materials.
- Wood-based materials used in the production of .mdd furniture are acquired from FSC-certified producers.

Material composition & packaging



Guarantee

.mdd products - 5 years.

Electrical components - 2 years.

Certificates



- MFC: 39%;
- Steel: 26%;
- Plastic: 3% ;
- Fabric: 16%;
- Polyurethane foam: 8%;
- Cardboard: 8%.

*average values for a representative of the group.

Recycled content

34,0%

Recyclability

- Recycling: 100%
- Downcycling: 0%

*average values for a representative of the group.

Fabric technical data

A-60011 Grey

	Price Group	II
	Material	100% polyester
	Weight	353g/m2
	Abrasion Resistance	110,000 Rubs Martindale (EN ISO 12947-2); 100,000 double rubs wyzenbeek ASTM D4157
	Colour Fastness to Light	scale 1-8, max 8 • EN ISO 105-B02 5-7
	Colour Fastness to Rubbing	scale 1-5, max 5 • EN ISO 105x12 (wet/dry) 4-5/4-5
	Flammability	ASTM E 84, BS 476 Part 7, class 1, BS EN 1021-1 cigarette, BS EN 1021-2 match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, NF P 92-503 M3
	Manufacturer	GABRIEL
	Fabric Manufacturer’s Warranty	10 years

Nora

modular seating system

Technical Data

- Backrest - plywood frame, cut foam with a density of 40 kg/m³, upholstered;
 - Seat - plywood covered with cut foam, density of 40 kg/m³, upholstered;
 - Tabletop - MDF board, 28 mm, veneered, lacquered, according to the colour of the frame;
 - Base - tube Ø 25 mm, wall thickness 2 mm, powder-coated;
 - Max load - 120 kg.
-

Selected configuration

NOR502

Height: 810 mm

Width: 2517 mm

Length: 1910 mm

Nora: Circular

Fabric: A-60011 Grey

Colour of the frame: Olive semi-matt RAL 6013

Sustainability

- Some of the available upholstery fabrics are made from recycled materials.
 - Wood-based materials used in the production of .mdd furniture are acquired from FSC-certified producers.
-

Material composition & packaging



Guarantee

.mdd products - 5 years.

Electrical components - 2 years.

Certificates



- MFC: 39%;
- Steel: 26%;
- Plastic: 3% ;
- Fabric: 16%;
- Polyurethane foam: 8%;
- Cardboard: 8%.

*average values for a representative of the group.

Recycled content

34,0%

Recyclability

- Recycling: 100%
- Downcycling: 0%

*average values for a representative of the group.

Fabric technical data

A-60011 Grey



Price Group	II
Material	100% polyester
Weight	353g/m2
Abrasion Resistance	110,000 Rubs Martindale (EN ISO 12947-2); 100,000 double rubs wyzenbeek ASTM D4157
Colour Fastness to Light	scale 1-8, max 8 • EN ISO 105-B02 5-7
Colour Fastness to Rubbing	scale 1-5, max 5 • EN ISO 105x12 (wet/dry) 4-5/4-5
Flammability	ASTM E 84, BS 476 Part 7, class 1, BS EN 1021-1 cigarette, BS EN 1021-2 match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, NF P 92-503 M3
Manufacturer	GABRIEL
Fabric Manufacturer’s Warranty	10 years

Nora

modular seating system

Technical Data

- Backrest - plywood frame, cut foam with a density of 40 kg/m³, upholstered;
 - Seat - plywood covered with cut foam, density of 40 kg/m³, upholstered;
 - Tabletop - MDF board, 28 mm, veneered, lacquered, according to the colour of the frame;
 - Base - tube Ø 25 mm, wall thickness 2 mm, powder-coated;
 - Max load - 120 kg.
-

Selected configuration

NOR503

Height: 810 mm

Width: 2447 mm

Length: 1875 mm

Nora: Circular

Fabric: A-60011 Grey

Colour of the frame: Olive semi-matt RAL 6013

Sustainability

- Some of the available upholstery fabrics are made from recycled materials.
 - Wood-based materials used in the production of .mdd furniture are acquired from FSC-certified producers.
-

Material composition & packaging



Guarantee

.mdd products - 5 years.

Electrical components - 2 years.

Certificates



- MFC: 39%;
- Steel: 26%;
- Plastic: 3% ;
- Fabric: 16%;
- Polyurethane foam: 8%;
- Cardboard: 8%.

*average values for a representative of the group.

Recycled content

34,0%

Recyclability

- Recycling: 100%
- Downcycling: 0%

*average values for a representative of the group.

Fabric technical data

A-60011 Grey

	Price Group	II
	Material	100% polyester
	Weight	353g/m2
	Abrasion Resistance	110,000 Rubs Martindale (EN ISO 12947-2); 100,000 double rubs wyzenbeek ASTM D4157
	Colour Fastness to Light	scale 1-8, max 8 • EN ISO 105-B02 5-7
	Colour Fastness to Rubbing	scale 1-5, max 5 • EN ISO 105x12 (wet/dry) 4-5/4-5
	Flammability	ASTM E 84, BS 476 Part 7, class 1, BS EN 1021-1 cigarette, BS EN 1021-2 match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, NF P 92-503 M3
	Manufacturer	GABRIEL
	Fabric Manufacturer’s Warranty	10 years

Nora

modular seating system

Technical Data

- Backrest - plywood frame, cut foam with a density of 40 kg/m³, upholstered;
- Seat - plywood covered with cut foam, density of 40 kg/m³, upholstered;
- Tabletop - MDF board, 28 mm, veneered, lacquered, according to the colour of the frame;
- Base - tube Ø 25 mm, wall thickness 2 mm, powder-coated;
- Max load - 120 kg.

Selected configuration

NOR504

Height: 810 mm

Width: 2447 mm

Length: 2093 mm

Nora: Circular

Fabric: A-60011 Grey

Colour of the frame: Olive semi-matt RAL 6013

Sustainability

- Some of the available upholstery fabrics are made from recycled materials.
- Wood-based materials used in the production of .mdd furniture are acquired from FSC-certified producers.

Material composition & packaging



Guarantee

.mdd products - 5 years.

Electrical components - 2 years.

Certificates



- MFC: 39%;
- Steel: 26%;
- Plastic: 3% ;
- Fabric: 16%;
- Polyurethane foam: 8%;
- Cardboard: 8%.

*average values for a representative of the group.

Recycled content

34,0%

Recyclability

- Recycling: 100%
- Downcycling: 0%

*average values for a representative of the group.

Fabric technical data

A-60011 Grey

	Price Group	II
	Material	100% polyester
	Weight	353g/m2
	Abrasion Resistance	110,000 Rubs Martindale (EN ISO 12947-2); 100,000 double rubs wyzenbeek ASTM D4157
	Colour Fastness to Light	scale 1-8, max 8 • EN ISO 105-B02 5-7
	Colour Fastness to Rubbing	scale 1-5, max 5 • EN ISO 105x12 (wet/dry) 4-5/4-5
	Flammability	ASTM E 84, BS 476 Part 7, class 1, BS EN 1021-1 cigarette, BS EN 1021-2 match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, NF P 92-503 M3
	Manufacturer	GABRIEL
	Fabric Manufacturer’s Warranty	10 years

Nora

modular seating system

Technical Data

- Backrest - plywood frame, cut foam with a density of 40 kg/m³, upholstered;
- Seat - plywood covered with cut foam, density of 40 kg/m³, upholstered;
- Tabletop - MDF board, 28 mm, veneered, lacquered, according to the colour of the frame;
- Base - tube Ø 25 mm, wall thickness 2 mm, powder-coated;
- Max load - 120 kg.

Selected configuration

NOR506

Height: 810 mm

Width: 2447 mm

Length: 2447 mm

Nora: Circular

Fabric: A-60011 Grey

Colour of the frame: Olive semi-matt RAL 6013

Sustainability

- Some of the available upholstery fabrics are made from recycled materials.
- Wood-based materials used in the production of .mdd furniture are acquired from FSC-certified producers.

Material composition & packaging



Guarantee

.mdd products - 5 years.

Electrical components - 2 years.

Certificates



- MFC: 39%;
- Steel: 26%;
- Plastic: 3% ;
- Fabric: 16%;
- Polyurethane foam: 8%;
- Cardboard: 8%.

*average values for a representative of the group.

Recycled content

34,0%

Recyclability

- Recycling: 100%
- Downcycling: 0%

*average values for a representative of the group.

Fabric technical data

A-60011 Grey

	Price Group	II
	Material	100% polyester
	Weight	353g/m2
	Abrasion Resistance	110,000 Rubs Martindale (EN ISO 12947-2); 100,000 double rubs wyzenbeek ASTM D4157
	Colour Fastness to Light	scale 1-8, max 8 • EN ISO 105-B02 5-7
	Colour Fastness to Rubbing	scale 1-5, max 5 • EN ISO 105x12 (wet/dry) 4-5/4-5
	Flammability	ASTM E 84, BS 476 Part 7, class 1, BS EN 1021-1 cigarette, BS EN 1021-2 match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, NF P 92-503 M3
	Manufacturer	GABRIEL
	Fabric Manufacturer’s Warranty	10 years

Nora

modular seating system

Technical Data

- Backrest - plywood frame, cut foam with a density of 40 kg/m³, upholstered;
- Seat - plywood covered with cut foam, density of 40 kg/m³, upholstered;
- Tabletop - MDF board, 28 mm, veneered, lacquered, according to the colour of the frame;
- Base - tube Ø 25 mm, wall thickness 2 mm, powder-coated;
- Max load - 120 kg.

Selected configuration

NOR301

Height: 810 mm

Width: 3722 mm

Length: 1275 mm

Nora: Curved

Fabric: A-60011 Grey

Colour of the frame: Olive semi-matt RAL 6013

Sustainability

- Some of the available upholstery fabrics are made from recycled materials.
- Wood-based materials used in the production of .mdd furniture are acquired from FSC-certified producers.

Material composition & packaging



Guarantee

.mdd products - 5 years.

Electrical components - 2 years.

Certificates



- MFC: 39%;
- Steel: 26%;
- Plastic: 3% ;
- Fabric: 16%;
- Polyurethane foam: 8%;
- Cardboard: 8%.

*average values for a representative of the group.

Recycled content

34,0%

Recyclability

- Recycling: 100%
- Downcycling: 0%

*average values for a representative of the group.

Fabric technical data

A-60011 Grey

	Price Group	II
	Material	100% polyester
	Weight	353g/m2
	Abrasion Resistance	110,000 Rubs Martindale (EN ISO 12947-2); 100,000 double rubs wyzenbeek ASTM D4157
	Colour Fastness to Light	scale 1-8, max 8 • EN ISO 105-B02 5-7
	Colour Fastness to Rubbing	scale 1-5, max 5 • EN ISO 105x12 (wet/dry) 4-5/4-5
	Flammability	ASTM E 84, BS 476 Part 7, class 1, BS EN 1021-1 cigarette, BS EN 1021-2 match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, NF P 92-503 M3
	Manufacturer	GABRIEL
	Fabric Manufacturer’s Warranty	10 years

Nora

modular seating system

Technical Data

- Backrest - plywood frame, cut foam with a density of 40 kg/m³, upholstered;
 - Seat - plywood covered with cut foam, density of 40 kg/m³, upholstered;
 - Tabletop - MDF board, 28 mm, veneered, lacquered, according to the colour of the frame;
 - Base - tube Ø 25 mm, wall thickness 2 mm, powder-coated;
 - Max load - 120 kg.
-

Selected configuration

NOR507

Height: 810 mm

Width: 4360 mm

Length: 2276 mm

Nora: Circular

Fabric: A-60011 Grey

Colour of the frame: Olive semi-matt RAL 6013

Direction of the configuration: Right

Sustainability

- Some of the available upholstery fabrics are made from recycled materials.
 - Wood-based materials used in the production of .mdd furniture are acquired from FSC-certified producers.
-

Material composition & packaging



Guarantee

.mdd products - 5 years.

Electrical components - 2 years.

Certificates



- MFC: 39%;
- Steel: 26%;
- Plastic: 3% ;
- Fabric: 16%;
- Polyurethane foam: 8%;
- Cardboard: 8%.

*average values for a representative of the group.

Recycled content

34,0%


Recyclability

- Recycling: 100%
- Downcycling: 0%

*average values for a representative of the group.

Fabric technical data

A-60011 Grey

	Price Group	II
	Material	100% polyester
	Weight	353g/m2
	Abrasion Resistance	110,000 Rubs Martindale (EN ISO 12947-2); 100,000 double rubs wyzenbeek ASTM D4157
	Colour Fastness to Light	scale 1-8, max 8 • EN ISO 105-B02 5-7
	Colour Fastness to Rubbing	scale 1-5, max 5 • EN ISO 105x12 (wet/dry) 4-5/4-5
	Flammability	ASTM E 84, BS 476 Part 7, class 1, BS EN 1021-1 cigarette, BS EN 1021-2 match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, NF P 92-503 M3
	Manufacturer	GABRIEL
	Fabric Manufacturer's Warranty	10 years

Omega Ekspress SIA

LV40003402577

Biroja adrese: Lāčplēša 125, LV-1003, Rīga

www.city-office.lv

info@city-office.lv