

Meeting tables Ogi A technical specification



.mdd

.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today`s market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of managment systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.

MDD is highly aware of the environment.

Being located in the forest region with lake by it's side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



General informations:

Warranty:

.mdd products - **5 years**.

Electrical components and fabric - **2 years**.

Certificate - MFC:



Assembly:

product delivered in separate elements

Packing:

cardboard, perforated plastic mesh wrap

Compliant with standards:

PN-EN 15372:2010

Boards density:


12 mm - 690 - 750 kg/m³

18 mm - 650 - 690 kg/m³


28 mm - 610 - 630 kg/m³

36 mm - 610 - 630 kg/m³


Meeting tables Ogi A




Mediabox location




Chairs arrangement




PLF12E




PLF12P




PLF24




PLF12PK




PLF24K




PLF80




PLF25




PLF81




PLF10



PLF11



PLF14L, PLF14S,
PLF14P



PLF14LK, PLF14S,
PLF14PK

Meeting tables Ogi A *




PLF80
800 / 800 / 740
17 kg



PLF10
1000 / 1000 / 740
25 kg




PLF11
1200 / 1200 / 740
32.9 kg




PLF12E
2000 / 1000 / 740
42 kg




PLF81
800 / 800 / 740
21.5 kg



PLF12P
2000 / 800-1000 / 740
46.5 kg



PLF24
2400 / 800-1000 / 740
57.4 kg



PLF25
2400 / 1400 / 740
81 kg




PLF14P
1400 / 800-1100 / 740
45 kg




PLF14S
1400 / 1100 / 740
43 kg



PLF14L
1400 / 800-1100 / 740
33.5 kg




PLF12PK
2000 / 1000 / 740
47.45 kg



PLF24K
2400 / 1000 / 740
56.9 kg




PLF14PK
1400 / 1100 / 740
47.9 kg




PLF14LK
1400 / 1100 / 740
36.4 kg

* dimensions expressed in millimeters: width x depth x height


Meeting tables Ogi A *



PLF18
2000 / 1100-800 / 740
78.5 kg



PLF19
4200 / 1100*800 / 740
121.5 kg



PLF20
5600 / 1100-800 / 740
164.5 kg


Low tables Ogi A *



PLF82
800 / 800 / 550
15.5 kg




PLF60
600 / 600 / 550
11.5 kg



PLF83
800 / 800 / 550
19.5 kg



PLF61
600 / 600 / 550
14 kg



PLF17
1200 / 700 / 550
24.05 kg

* dimensions expressed in millimeters: width x depth x height

Meeting tables - Ogi A	Date of preparation 04.05.2022	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 6/7
			products

Top



08 Black




26 Aluminum
satinato



31 Canadian oak



39 Polar birch



64 Cocoa



67 White pastel



106 Lowland
walnut



154 Anthracite




167 Grey oak



168 Natural oak



169 Honey oak



170 Acacia



171 Dark walnut

Frame, mediabox



M009 Aluminum
semi-mat RAL9006



M015 White
semi-mat RAL9010



M154 Anthracite
semi-mat RAL7043



M115 Black
semi-mat RAL9005

Meeting tables Ogi W technical specification



.mdd

.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today`s market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of managment systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service. .mdd is highly aware of the environment.

Being located in the forest region with lake by itis side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



General informations:

Warranty:

.mdd products - **5 years.**

Electrical components and fabric - **2 years.**

Certificate - MFC:



Assembly:

product delivered in separate elements

Packing:

cardboard, perforated plastic mesh wrap

Compliant with standards:

PN-EN 15372:2010

Boards density:


12 mm - 690 - 750 kg/m³

18 mm - 650 - 690 kg/m³


28 mm - 610 - 630 kg/m³

36 mm - 610 - 630 kg/m³


Conference tables Ogi W




1. **Worktop** - MFC 28 mm, ABS edge
2. **MFC element** - without mediabox as standard
3. **Natural wood** - ash, with metal element, powder coated, coated with transparent varnish, profile 40 × 40 mm, spacer 10 mm between top and frame
4. **Fixing flat bar**
OPTIONS WITH EXTRA CHARGE:
 5. **Worktop edge** - colour: ash natural
 6. **Top access M05**
 7. **Mediabox M04H** - 2xRJ45 (class E, cat. 6); +1 x USB + 1 x HDMI + 4x 230V
 8. **Mediabox M04** - 2xRJ45 (class E, cat. 6); +1 x USB + 4x 230V
 9. **Mediabox M06H** - OPTION WITH ADDITIONAL CHARGE - 2x230V+HDMI+USB, colour: anodised aluminium, white, black




2 x RJ45
1 x HDMI
1 x USB




2 x RJ45
1 x USB



1 x HDMI
1 x USB




Tables




1. **Top** - MFC 18 mm, black, ABS edges 2 mm
2. **Metal element** - powder coated
3. **Frame** - metal frame , profile 40 × 40 mm, wooden leg - ash natural
4. **Worktop edge** - colour: ash natural


Conference tables - Ogi W *




SW22
1200 / 1210 / 740
50.8 kg




SW24
1400 / 1210 / 740
59.15 kg




SW26
1600 / 1210 / 740
62.2 kg




SW28
1800 / 1210 / 740
72.6 kg




SW42
1200 / 1410 / 740
57.7 kg




SW44
1400 / 1410 / 740
67.85 kg




SW46
1600 / 1410 / 740
71.2 kg




SW48
1800 / 1410 / 740
79.1 kg




SW32
1200 / 1610 / 740
63.7 kg



SW33
1400 / 1610 / 740
70.65 kg




SW34
1600 / 1610 / 740
80.5 kg




SW35
1800 / 1610 / 740
86.6 kg

* dimensions expressed in millimeters: width x depth x height


Elements for pairing - Ogi W *




SW22L
1200 / 1210 / 740
45.6 kg




SW24L
1400 / 1210 / 740
53.95 kg




SW26L
1600 / 1210 / 740
57 kg




SW28L
1800 / 1210 / 740
67.4 kg




SW42L
1200 / 1410 / 740
51.9 kg




SW44L
1400 / 1410 / 740
62.05 kg




SW46L
1600 / 1410 / 740
65.4 kg




SW48L
1800 / 1410 / 740
73.3 kg




SW32L
1200 / 1610 / 740
57.5 kg



SW33L
1400 / 1610 / 740
64.45 kg




SW34L
1600 / 1610 / 740
74.3 kg



SW35L
1800 / 1610 / 740
80.4 kg

Conference table - Ogi W *



PLD20
2000 / 1000 / 740
57.8 kg

* dimensions expressed in millimeters: width x depth x height


Table - Ogi W *




PLD82
800 / 800 / 550
14.9 kg




PLD60
600 / 600 / 550
10.9 kg



PLD83
800 / 800 / 550
18.7 kg



PLD61
600 / 600 / 550
13.2 kg



PLD17
1200 / 700 / 550
23.25 kg



PLD80
800 / 800 / 740
16.1 kg



PLD10
1000 / 1000 / 740
23.8 kg




PLD11
1200 / 1200 / 740
31.7 kg



PLD81
800 / 800 / 740
20.3 kg



PLD12E
2000 / 1000 / 740
40.8 kg



PLD12P
2000 / 800-1000 / 740
45.3 kg

* dimensions expressed in millimeters: width x depth x height

Top



08 Black *




26 Aluminum
satinato *



31 Canadian oak



39 Polar birch



64 Cocoa



67 White pastel *



106 Lowland
walnut



154 Anthracite *




167 Grey oak



168 Natural oak



169 Honey oak



170 Acacia



171 Dark walnut

Frame, mediabox



M009 Aluminum
semi-mat RAL9006



M015 White
semi-mat RAL9010



M154 Anthracite
semi-mat RAL7043



M115 Black
semi-mat RAL9005

Leg



Natural ash

* ATTENTION - OPTION WITH EXTRA CHARGE - worktop edge, colour: ash natural

Meeting tables Ogi Y technical specification



.mdd

.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of management systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service. .mdd is highly aware of the environment.

Being located in the forest region with lake by its side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



General informations:

Warranty:

.mdd products - **5 years.**

Electrical components and fabric - **2 years.**

Certificate - MFC:



Assembly:

product delivered in separate elements

Packing:

cardboard

Compliant with standards:

PN-EN 15372:2010

Boards density:



12 mm - 690 - 750 kg/m³

18 mm - 650 - 690 kg/m³


28 mm - 610 - 630 kg/m³

36 mm - 610 - 630 kg/m³

Conference table



2 x RJ45
1 x HDMI
1 x USB




2 x RJ45
1 x USB




1 x HDMI
1 x USB

1. **Worktop** - MFC 28 mm, ABS edge
2. **MFC element** - without mediabox as standard
3. **Leg** - powder coated steel, profile 40x40 mm
4. **Fixing flat bar**
- OPTIONS WITH EXTRA CHARGE:**
5. **Top access M05**
6. **Mediabox M04H** - 2xRJ45 (class E, cat. 6); +1 x USB + 1 x HDMI + 4x 230V
7. **Mediabox M04** - 2xRJ45 (class E, cat. 6); +1 x USB + 4x 230V
8. **Mediabox M06H** - OPTION WITH ADDITIONAL CHARGE - 2x230V+HDMI+USB, colour: anodised aluminium, white, black

Chairs arrangement




SY04 + 2x SY14




3x SY24 + 2x BOX50


Meeting tables Ogi Y *




SY42
1200 / 1210 / 740
52.5 kg




SY44
1400 / 1210 / 740
60.85 kg




SY46
1600 / 1210 / 740
63.9 kg




SY48
1800 / 1210 / 740
74.3 kg




SY22
1200 / 1410 / 740
61.1 kg




SY24
1400 / 1410 / 740
71.25 kg




SY26
1600 / 1410 / 740
74.6 kg




SY28
1800 / 1410 / 740
82.5 kg




SY02
1200 / 1610 / 740
67.4 kg



SY04
1400 / 1610 / 740
74.35 kg




SY06
1600 / 1610 / 740
84.2 kg




SY08
1800 / 1610 / 740
90.3 kg

* dimensions expressed in millimeters: width x depth x height


Elements for pairing Ogi Y *




SY52
1200 / 1210 / 740
45.8 kg




SY54
1400 / 1210 / 740
54.15 kg




SY56
1600 / 1210 / 740
57.2 kg




SY58
1800 / 1210 / 740
67.6 kg




SY32
1200 / 1410 / 740
53.3 kg




SY34
1400 / 1410 / 740
63.45 kg




SY36
1600 / 1410 / 740
66.8 kg




SY38
1800 / 1410 / 740
74.7 kg




SY12
1200 / 1610 / 740
59.05 kg



SY14
1400 / 1610 / 740
66 kg




SY16
1600 / 1610 / 740
75.85 kg




SY18
1800 / 1610 / 740
81.95 kg

www.mdd.eu

Elements for pairing Ogi Y *



BOX60
1000 / 1610 / 740
28.75 kg



BOX50
1000 / 1410 / 740
24.05 kg

* dimensions expressed in millimeters: width x depth x height

Top



08 Black



26 Aluminum
satinato



31 Canadian oak



39 Polar birch



64 Cocoa



67 White pastel



106 Lowland
walnut




154 Anthracite




167 Grey oak



168 Natural oak



169 Honey oak



170 Acacia



171 Dark walnut

Frame, mediabox



M009 Aluminum
semi-mat RAL9006



M015 White
semi-mat RAL9010



M154 Anthracite
semi-mat RAL7043



M115 Black
semi-mat RAL9005