

## Product sheet

# Tanca

## bookcase

### Technical Data

- Panel – PET felt 9 mm;
- Frame – steel tube Ø20 mm; powder-coated;
- Shelf – chipboard 18 mm, ABS edge 2 mm, max. load 15 kg;
- Base – chipboard 28 mm, ABS edge 2 mm;
- Castors with brakes – Ø50 mm; castors for hard floors

### Selected configuration

#### TC01

**Height:** 1843 mm

**Width:** 1600 mm

**Length:** 500 mm

**Colour of the top:** Black

**Colour of the top edging:** Black

**Colour of the screen:** PET L-IC03-B60 Light grey

**Colour of the frame:** Black semi-matt RAL 9005

### Sustainability

The steel construction is powder-coated to reduce the emission of Volatile Organic Compounds.

### Material composition & packaging



### Guarantee

.mdd products – 5 years.

Electrical components – 2 years.

### Assembly manuals



- MFC: 78%
- Steel: 14%
- Plastic: 1%
- Fabric: 6%
- Others: 1%
- Cardboard: 1%

\*average values for a representative of the group.

---

## Recycled content

2%

---

## Recyclability

- Recycling: 64%
- Downcycling: 36%

\*average values for a representative of the group.

# Tanca

## bookcase

### Technical Data

- Panel – PET felt 9 mm;
- Frame – steel tube Ø20 mm; powder-coated;
- Shelf – chipboard 18 mm, ABS edge 2 mm, max. load 15 kg;
- Base – chipboard 28 mm, ABS edge 2 mm;
- Castors with brakes – Ø50 mm; castors for hard floors

### Selected configuration

#### TC02

**Height:** 1843 mm

**Width:** 1419 mm

**Length:** 603 mm

**Colour of the top:** Black

**Colour of the top edging:** Black

**Colour of the screen:** PET L-IC03-B60 Light grey

**Colour of the frame:** Black semi-matt RAL 9005

### Sustainability

The steel construction is powder-coated to reduce the emission of Volatile Organic Compounds.

### Material composition & packaging



### Guarantee

.mdd products – 5 years.

Electrical components – 2 years.

### Assembly manuals



- MFC: 78%
- Steel: 14%
- Plastic: 1%
- Fabric: 6%
- Others: 1%
- Cardboard: 1%

\*average values for a representative of the group.

---

## Recycled content

2%

---

## Recyclability

- Recycling: 64%
- Downcycling: 36%

\*average values for a representative of the group.

# Tanca

## bookcase

### Technical Data

- Panel – PET felt 9 mm;
- Frame – steel tube Ø20 mm; powder-coated;
- Shelf – chipboard 18 mm, ABS edge 2 mm, max. load 15 kg;
- Base – chipboard 28 mm, ABS edge 2 mm;
- Castors with brakes – Ø50 mm; castors for hard floors

### Selected configuration

#### TC03

**Height:** 1843 mm

**Width:** 1419 mm

**Length:** 603 mm

**Colour of the top:** Black

**Colour of the top edging:** Black


**Colour of the screen:** PET L-IC03-B60 Light grey

**Colour of the frame:** Black semi-matt RAL 9005

### Sustainability

The steel construction is powder-coated to reduce the emission of Volatile Organic Compounds.

### Material composition & packaging



### Guarantee

.mdd products – 5 years.

Electrical components – 2 years.

### Assembly manuals



- MFC: 78%
- Steel: 14%
- Plastic: 1%
- Fabric: 6%
- Others: 1%
- Cardboard: 1%

\*average values for a representative of the group.

---

## Recycled content

2%

---

## Recyclability

- Recycling: 64%
- Downcycling: 36%

\*average values for a representative of the group.

**Omega Ekspress SIA**

LV40003402577

Biroja adrese: Lāčplēša 125, LV-1003, Rīga

**[www.city-office.lv](http://www.city-office.lv)**

info@city-office.lv

---