

Brainy

Technical description

1. Desks

1.1. Models:

- Brainy UPH,
- Brainy FELT,
- Brainy MINI UPH,
- Brainy MINI FELT.

1.1.1. Table top

Foldable table top – top part of table top made of plywood covered with linoleum, bottom part covered with antiresilient laminate, edge protected with wax (visible plywood structure).

Two-piece table top, width 1100 mm:

- fixed part – depth 140 mm, thickness 24 mm.
- movable part – depth 400 mm, thickness 15 mm.

Table top equipped with hinges allowing folding. Once unfolded table top movable part is supported on handles assembled in walls (metal elements also assembled in side edges of table top).

Media – available as standard:

- media port PIX 1M in right position in fixed part of table top,
- cut out for wire trunking in left position in fixed part of table top.

Table top frame

A metal frame and a cover made of plywood, thickness 5 mm, are placed under table top. In frame vertical part, Evoline 3M power strip is fixed on the right side.

Plug can be lead out on the left or right side of U-shape wall.

1.1.2. Walls

Models:

- Brainy UPH,
- Brainy FELT.

Table top encased with walls:

- one U-shape wall,
- one L-shape wall,
- two straight walls.

Walls are connected to one another by a rod passing through metal hinges. A cover made of metal tube is placed on the rod powder-coated in Jet Black (RAL 9005) colour.

Walls thickness approx. 40 mm, made of thermoformed felt covered with upholstery fabric with ribs on edges:

- FELT version – light grey felt on the inside and dark grey on the outside,
- UPH version – felt covered with upholstery fabric.

Castors – Ø 50 mm, universal for soft and hard floors – 8 pieces, 3 of them with brake.

Additional elements

Element closing outer wall during transport.

Made of powder-coated steel in Jet Black (RAL 9005) colour.

Models:

- Brainy MINI UPH,
- Brainy MINI FELT.

Table top encased with walls:

- one U-shape wall,
- two straight walls.

Walls are connected to one another by a rod passing through metal hinges. A cover made of metal tube is placed on the rod, powder-coated in Jet Black (RAL 9005) colour.

Walls thickness approx. 40 mm, made of thermoformed felt with ribs on edges:

- FELT version – light grey felt on the inside and dark grey on the outside,
- UPH version – felt covered with upholstery fabric.

Castors – Ø 50 mm, universal for soft and hard floors – 6 pieces, 2 of them with brake.

Additional elements

Element closing outer wall during transport.

Made of powder-coated steel in Jet Black (RAL 9005) colour.

1.2. Assembly

Assembled, cardboard packaging (PACK-ASM)

1.3. Product range

1.3.1 Brainy

Unfolded version:



Brainy UPH Magenta





Brainy UPH Blue




Brainy UPH Red



Brainy FELT



Folded version:



Technical description

1.3.2 Brainy MINI

Unfolded version:



Brainy MINI UPH Magenta





Brainy MINI UPH Blue




Brainy MINI UPH Red



Brainy MINI FELT



Folded version:



Omega Ekspres SIA

LV40003402577

Biroja adrese: Lāčplēša 125, LV-1003, Rīga

www.city-office.lv

info@city-office.lv

