



orte 3DH OT 3DH

102

Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

Great possibilities

A simplicity of the design and the wide possibilities of arranging the chair make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

OT 3DH 102 / Technical data

● Standard ○ Option

Mechanism

Rotatable, with height adjustment	A	●
Rotable mechanism with 3d motion function (forward, backward and sideways) and height adjustment	O5	○
Rotatable, comfortable rocker mechanism with rubber joint and a lock in 1 position (rear tilt: 7 °; front tilt: -4 °) with height adjustment	AR5	○

Glaslift

Black		●
Chromed		○

Base

Plastic 5-star base (nylon) Ø700 + standard black ring (RB)	17	●
Plastic 5-star base (nylon) Ø700 + ring color: white (RW)/ red (RR)/ green (RG)	17R	○
Polished aluminium 5-star base (chrome effect) Ø690	22	○
Powder coated aluminium 5-star base (colors according to Bejot sampler book) Ø 690	23	○

OT 3DH 102 / Technical data

Armrests

Without arms		<input checked="" type="radio"/>
Powder painted armrests (colors according to the Bejot pattern book) + leather pad colors according to the Bejot pattern book	P21P	<input type="radio"/>
Chromed armrests + leather pad according to Bejot's pattern book	P21C	<input type="radio"/>

Castors

Hard castors for soft floors Ø 65 with auto-brake	DEMA	<input checked="" type="radio"/>
Soft castors for hard floors Ø 65 with auto-brake	DEMAD	<input type="radio"/>
Universal castors, chrome	DEMD-C	<input type="radio"/>


Stitches

Stitches in the colour of upholstery		<input checked="" type="radio"/>
White, grey, orange, red, green or black stitches for leather-upholstered armchairs or for keimo, valencia, silvertex collection upholstery.		<input type="radio"/>

OT 3DH 102 / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

seat height: overall dimensions	A
seat height: measured according to the norm PN EN 1335 - 1	B
chair height adjustment	C
backrest height adjustment	D
headrest height adjustment	E
dimensional width chair / ø base	F
seat width	G
backrest width	H
width between armrests	I
armrest height adjustment	K
backrest lenght	L
dimensional chair depth	M
seat depth adjustment / seat lenght	N





orte 3DH OT 3DH 5R

Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

Great possibilities

A simplicity of the design and the wide possibilities of arranging the chair make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

OT 3DH 5R / Technical data

● Standard ○ Option

Mechanism

CODE

Rotatable, with height adjustment	A	●
Rotable mechanism with 3d motion function (forward, backward and sideways) and height adjustment	05	○
Rotatable, comfortable rocker mechanism with rubber joint and a lock in 1 position (rear tilt: 7 °; front tilt: -4 °) with height adjustment	AR5	○

Base

Polished aluminum 5-star base (chrome effect) Ø700+castors DEMA	36	●
Powder painted aluminum 5-star base (colors according to Bejot sampler book) Ø700+castors DEMA	37	○

Armrests

Without arms		●
Powder painted armrests (colors according to the Bejot pattern book) + leather pad colors according to the Bejot pattern book	P21P	○
Chromed armrests + leather pad according to Bejot's pattern book	P21C	○

OT 3DH 5R / Technical data

Castors

Hard castors for soft floors Ø 65 with auto-brake	DEMA	<input checked="" type="radio"/>
Soft castors for hard floors Ø 65 with auto-brake	DEMAD	<input type="radio"/>
Universal castors, chrome	DEMD-C	<input type="radio"/>
Universal castors with brake function, colour white	ROL W5	<input type="radio"/>
Universal castors with brake function, colour grey	ROL G5	<input type="radio"/>
Universal castors with brake function, colour chrome	ROL C5	<input type="radio"/>


Stitches

Stitches in the colour of upholstery.	<input checked="" type="radio"/>
White, grey, orange, red, green or black stitches for leather-upholstered armchairs or for keimo, valencia, silvertex collection upholstery.	<input type="radio"/>

OT 3DH 5R / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

seat height: overall dimensions	A
seat height: measured according to the norm PN EN 1335 - 1	B
chair height adjustment	C
backrest height adjustment	D
headrest height adjustment	E
dimensional width chair / ø base	F
seat width	G
backrest width	H
width between armrests	I
armrest height adjustment	K
backrest lenght	L
dimensional chair depth	M
seat depth adjustment / seat lenght	N





orte 3DH OT 3DH 4R

Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

Great possibilities

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

OT 3DH 4R / Technical data

● Standard ○ Option

Mechanism

Rotatable, without height adjustment	A1	●
Rotable mechanism with 3d motion function (forward, backward and sideways) without height adjustment	O4	○
Rotatable, comfortable rocker mechanism with rubber joint and a lock in 1 position (rear tilt: 7 °; front tilt: -4 °) without height adjustment	AR4	○

Base

Polished aluminium 4-star base (chrome effect) Ø700	38	●
Powder coated alluminium 4-star base (colors according to Bejot sampler book) Ø700	39	○

Armrests

Without arms		●
Powder painted armrests (colors according to the Bejot pattern book) + leather pad colors according to the Bejot pattern book	P21P	○
Chromed armrests + leather pad according to Bejot's pattern book	P21C	○

OT 3DH 4R / Technical data

Feet

Feet on ceramic, concrete and carpet floors	TK	<input checked="" type="radio"/>
Felt feet on wooden floors and panels	TF	<input type="radio"/>


Stitches

Stitches in the colour of upholstery.		<input checked="" type="radio"/>
White, grey, orange, red, green or black stitches for leather-upholstered armchairs or for keimo, valencia, silvertex collection upholstery.		<input type="radio"/>

OT 3DH 4R / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

seat height: overall dimensions	A
seat height: measured according to the norm PN EN 1335 - 1	B
chair height	C
backrest height	D
headrest height	E
dimensional width chair / ø base	F
seat width	G
backrest width	H
width between armrests	I
height from the floor to the armrest	K
backrest lenght	L
dimensional chair depth	M
seat depth / seat lenght	N





orte 3DH OT 3DH 250

Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

Great possibilities

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

OT 3DH 250 / Technical data

● Standard ○ Option

Base

Powder painted (colors according to the Bejot pattern book)	●
Chrome / powder coated - color: Copper	○

Armrests

Without arms	●
Powder painted armrests (colors according to the Bejot pattern book) + leather pad colors according to the Bejot pattern book	P21P ○
Chromed armrests + leather pad according to Bejot's pattern book	P21C ○

Feet

Feet on ceramic, concrete and carpet floors	CK ●
Felt feet on wooden floors and panels	CF ○

OT 3DH 250 / Technical data

Stitches

Stitches in the colour of upholstery.	●
---------------------------------------	---


White, grey, orange, red, green or black stitches for leather-upholstered armchairs or for keimo, valencia, silvertex collection upholstery.





OT 3DH 250 / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.


seat height: overall dimensions	A
seat height: measured according to the norm PN EN 1335 - 1	B
chair height	C
backrest height	D
headrest height	E
dimensional width chair / ø base	F
seat width	G
backrest width	H
width between armrests	I
height from the floor to the armrest	K
backrest lenght	L
dimensional chair depth	M
seat depth / seat lenght	N



OT 3DH 250



OT 3DH 250 P





orte 3DH OT 3DH 260

Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

Great possibilities

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

OT 3DH 260 / Technical data

● Standard ○ Option

Base

Powder painted (colors according to the Bejot pattern book)	●
Chrome / powder coated - color: Copper	○

Armrests

Without arms	●
Powder painted armrests (colors according to the Bejot pattern book) + leather pad colors according to the Bejot pattern book	P21P ○
Chromed armrests + leather pad according to Bejot's pattern book	P21C ○

Castors

Hard castors for soft floors Ø 65 with auto-brake	DEMA ●
Soft castors for hard floors Ø 65 with auto-brake	DEMAD ○
Universal castors with brake function, colour white	ROL W ○
Universal castors with brake function, colour grey	ROL G ○
Universal castors with brake function, colour chrome	ROL C ○

OT 3DH 260 / Technical data

Stitches

Stitches in the colour of upholstery.




White, grey, orange, red, green or black stitches for leather-upholstered armchairs or for keimo, valencia, silvertex collection upholstery.



OT 3DH 260 / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

seat height: overall dimensions	A
seat height: measured according to the norm PN EN 1335 - 1	B
chair height	C
backrest height	D
headrest height	E
dimensional width chair / ø base	F
seat width	G
backrest width	H
width between armrests	I
height from the floor to the armrest	K
backrest lenght	L
dimensional chair depth	M
seat depth / seat lenght	N





orte 3DH OT W
3DH 715

Functionality & lightness
The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

Great possibilities
A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

OT W 3DH 715 / Technical data

☒ Standard ☐ Option

Base

Construction: solid oak wood - natural color (O1)	O1	<input checked="" type="radio"/>
Construction: solid oak wood - natural color (O1)	J1	<input type="radio"/>
Construction: solid oak wood - coloring according to Bejot sampler book (O2, O3, O4)		<input type="radio"/>
Chrome legs connectors		<input checked="" type="radio"/>
Powder painted legs' connectors (colors according to the Bejot sampler book)		<input type="radio"/>

The colours of chairs' finishing

CODE

CPL colour white/ charcoal/ black	<input checked="" type="radio"/>
Varnishing plywood according to the Bejot sampler	<input type="radio"/>

Additional equipment

Back support for hanging the bag (up for version 1N / 2N)	FO	<input type="radio"/>
---	-----------	-----------------------

Feet	CODE
Feet for ceramic floors, concrete, carpets	WK ●
Felt feet for wooden floors, panels	WF ○



OT W 3DH 715 / Technical data

Code names marks	CODE
Whole CPL/ plywood	1N
Upholstered seat cover	2N
Upholstered seat and backrest cover	3N
Whole upholstered	4N
Horizontal stitches on the seat and backrest (front and back).	3DH

OT W 3DH 715 / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

seat height: overall dimensions	A
seat height: measured according to the norm PN EN 1335 - 1	B
chair height	C
backrest height	D
headrest height	E
dimensional width chair / ø base	F
seat width	G
backrest width	H
width between armrests	I
height from the floor to the armrest	K
backrest lenght	L
dimensional chair depth	M
seat depth / seat lenght	N



OT W 3DH 715