



## orte OT 215

### Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

### Great possibilities

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

## OT 215 / Technical data

☒ Standard

☐ Option

### Base

Powder painted (colors according to the Bejot sampler book)	<input checked="" type="radio"/>
Chrome (not available for OT TR trolley)	<input type="radio"/>

### The colours of chairs' finishing

### CODE

CPL colour white/ charcoal/ black	<input checked="" type="radio"/>
Varnishing plywood according to the Bejot sampler	<input type="radio"/>

### Additional equipment

Black underside of the seat, protecting chairs against scratching during stacking (for chairs without a connector)	<b>CP</b>	<input checked="" type="radio"/>
Distances to protect against scratching during stacking for version 1N (for chairs with connectors)	<b>DN</b>	<input type="radio"/>
Panel protecting the seat during the stacking function (for 2N / 3N / 4N / 3D chairs with a connector)	<b>CV</b>	<input type="radio"/>
The connector attached to the chair seat	<b>L</b>	<input type="radio"/>
Back support for hanging the bag (up for version 1N / 2N)	<b>FO</b>	<input type="radio"/>

### Feet

Feet on ceramic, concrete and carpet floors

**CK** ☒

Felt feet on wooden floors and panels

**CF** ☐

## The system of joining rows and rows with each other

The molding connecting 4 chairs (length 3000 mm)

**LR1** ☐

Set: The bar combining 4 chairs (length: 3000 mm)+ 2 x row connector (length: 1000 mm)

**LR4-SET** ☐

## OT 215 / Technical data

### Code names marks

### CODE

Whole CPL/ plywood

**1N**

Upholstered seat cover

**2N**

Upholstered seat and backrest cover

**3N**

Whole upholstered

**4N**


Horizontal stitches on the seat and backrest (front and back).

**3D**

OT 215 / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

seat height: overall dimensions	A
seat height: measured according to the norm PN EN 1335 - 1	B
chair height	C
backrest height	D
headrest height	E
dimensional width chair / ø base	F
seat width	G
backrest width	H
width between armrests	I
height from the floor to the armrest	K
backrest lenght	L
dimensional chair depth	M
seat depth / seat lenght	N



OT 215 1N



## **orte OT 215 A**

### **Functionality & lightness**

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

### **Great possibilities**

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

## **OT 215 A / Technical data**

● Standard    ○ Option

### **Base**

Powder painted (colors according to the Bejot sampler book)	●
Chrome (not available for OT TR trolley)	○

### **The colours of chairs' finishing**

### **CODE**

CPL colour white/ charcoal/ black	●
-----------------------------------	---

### **Additional equipment**

Black underside of the seat, protecting chairs against scratching during stacking (for chairs without a connector)	<b>CP</b>	●
Distances to protect against scratching during stacking for version 1N (for chairs with connectors)	<b>DN</b>	○
Panel protecting the seat during the stacking function (for chairs with a connector)	<b>CV</b>	○
The connector attached to the chair seat	<b>L</b>	○

### **Feet**

### **CODE**

Feet for ceramic floors, concrete and carpets	<b>CK</b>	●
Felt feet for wooden floors and panels	<b>CF</b>	○

## The system of joining rows and rows with each other

### CODE

The molding connecting 4 chairs (length 3000 mm)

**LR1**



Set: The bar combining 4 chairs (length: 3000 mm)+ 2 x row connector (length: 1000 mm)

**LR4-SET**



## OT 215 A / Technical data

### Code names marks

### CODE

Whole CPL/ plywood

**1N**


Upholstered seat cover

**2N**


## OT 215 A / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

seat height: overall dimensions	A
seat height: measured according to the norm PN EN 1335 - 1	B
chair height	C
backrest height	D
headrest height	E
dimensional width chair / ø base	F
seat width	G
backrest width	H
width between armrests	I
height from the floor to the armrest	K
backrest lenght	L
dimensional chair depth	M
seat depth / seat lenght	N



OT 215 A 1N



## orte OT 220

### Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

### Great possibilities

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

## OT 220 / Technical data

● Standard ○ Option

### Base

Powder painted (colors according to the Bejot sampler book)	●
Chrome (not available for OT TR trolley)	○

### The colours of chairs' finishing

#### CODE

CPL colour white/ charcoal/ black	●
Varnishing plywood according to the Bejot sampler	○

### Armrests / writing tablet

Polyurethane armrests, black	PU	●
Plywood armrests covered with CPL laminate/ wooden armrests stained according to Bejot's pattern book	PS	○
Mobile writing desk: CPL / plywood top for the powder-painted structure - colours RAL 9005, 7024, ALU	P	○
Mobile writing desk: CPL / plywood top for chromed structure	P	○

## OT 220 / Technical data

### Additional equipment

Black underside of the seat, protecting chairs against scratching during stacking (for chairs without a connector)	<b>CP</b>	●
Distances to protect against scratching during stacking for version 1N (for chairs with connectors)	<b>DN</b>	○
Panel protecting the seat during the stacking function (for 2N / 3N / 4N / 3D chairs with a connector)	<b>CV</b>	○
The connector attached to the chair seat	<b>L</b>	○
Back support for hanging the bag (up for version 1N / 2N)	<b>FO</b>	○

## Feet

Feet on ceramic, concrete and carpet floors	<b>CK</b>	●
Felt feet on wooden floors and panels	<b>CF</b>	○

## The system of joining rows and rows with each other

The molding connecting 4 chairs (length 3000 mm)	<b>LR1</b>	○
Set: The bar combining 4 chairs (length: 3000 mm)+ 2 x row connector (length: 1000 mm)	<b>LR4-SET</b>	○

## Code names marks


	<b>CODE</b>
Whole CPL/ plywood	<b>1N</b>
Upholstered seat cover	<b>2N</b>
Upholstered seat and backrest cover	<b>3N</b>
Whole upholstered	<b>4N</b>
Horizontal stitches on the seat and backrest (front and back).	<b>3D</b>




OT 220 / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

seat height: overall dimensions	A
seat height: measured according to the norm PN EN 1335 - 1	B
chair height	C
backrest height	D
headrest height	E
dimensional width chair / ø base	F
seat width	G
backrest width	H
width between armrests	I
height from the floor to the armrest	K
backrest lenght	L
dimensional chair depth	M
seat depth / seat lenght	N



OT 220 3N P



## orte OT 220 A

### Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

### Great possibilities

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

## OT 220 A / Technical data

● Standard ○ Option

### Base

Powder painted (colors according to the Bejot sampler book)	●
Chrome (not available for OT TR trolley)	○

### The colours of chairs' finishing

### CODE

CPL colour white/ charcoal/ black	●
-----------------------------------	---

### Armrests / writing tablet

Polyurethane armrests, black	PU	●
Armrests made of CPL-laminated plywood	PS	○
Mobile writing tablet: CPL for the powder-painted (RAL 9005, 7024, ALU) structure	P	○
Mobile writing tablet: CPL for chromed structure	P	○

## OT 220 A / Technical data

### Additional equipment

Black underside of the seat, protecting chairs against scratching during stacking (for chairs without a connector)	CP	●
--	----	---

Distances to protect against scratching during stacking for version 1N (for chairs with connectors)	<b>DN</b>	<input type="radio"/>
Panel protecting the seat during the stacking function (for chairs with a connector)	<b>CV</b>	<input type="radio"/>
The connector attached to the chair seat	<b>L</b>	<input type="radio"/>

<b>Feet</b>	<b>CODE</b>	
Feet for ceramic floors, concrete and carpets	<b>CK</b>	<input checked="" type="radio"/>
Felt feet for wooden floors and panels	<b>CF</b>	<input type="radio"/>


<b>The system of joining rows and rows with each other</b>	<b>CODE</b>	
The molding connecting 4 chairs (length 3000 mm)	<b>LR1</b>	<input type="radio"/>
Set: The bar combining 4 chairs (length: 3000 mm)+ 2 x row connector (length: 1000 mm)	<b>LR4-SET</b>	<input type="radio"/>

<b>Code names marks</b>	<b>CODE</b>	
Whole CPL/ plywood	<b>1N</b>	
Upholstered seat cover	<b>2N</b>	

OT 220 A / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

seat height: overall dimensions	A
seat height: measured according to the norm PN EN 1335 - 1	B
chair height	C
backrest height	D
headrest height	E
dimensional width chair / ø base	F
seat width	G
backrest width	H
width between armrests	I
height from the floor to the armrest	K
backrest lenght	L
dimensional chair depth	M
seat depth / seat lenght	N



OT 220 1N A



## orte OT W 715

### Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

### Great possibilities

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

## OT W 715 / Technical data

● Standard ○ Option

### Base

Construction: solid oak wood - natural color (O1)	<b>O1</b>	●
Construction: solid oak wood - natural color (O1)	<b>J1</b>	○
Construction: solid oak wood - coloring according to Bejot sampler book (O2, O3, O4)		○
Chrome legs connectors		●
Powder painted legs' connectors (colors according to the Bejot sampler book)		○

### The colours of chairs' finishing

### CODE

CPL colour white/ charcoal/ black	●
Varnishing plywood according to the Bejot sampler	○

### Additional equipment

Back support for hanging the bag (up for version 1N / 2N)	<b>FO</b>	○
---	-----------	---

Feet	CODE	
Feet for ceramic floors, concrete, carpets	WK	●
Felt feet for wooden floors, panels	WF	○


## OT W 715 / Technical data

Namenscode-Bezeichnungen	KODE
Ganz im CPL	1N
Gepolsterte Auflage für Sitze	2N
Gepolsterte Auflage für Sitze und Rückenlehne	3N
Ganz gepolstert	4N
Horizontale Steppung auf dem Sitz und der Rückenlehne (vorne und hinten)	3DH

OT W 715 / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

seat height: overall dimensions	A
seat height: measured according to the norm PN EN 1335 - 1	B
chair height	C
backrest height	D
headrest height	E
dimensional width chair / ø base	F
seat width	G
backrest width	H
width between armrests	I
height from the floor to the armrest	K
backrest lenght	L
dimensional chair depth	M
seat depth / seat lenght	N



H: 880	1 szt.
W: 580	St.
L: 660	pc.

H: 950	2 szt.
W: 650	St.
L: 600	pc.



netto 6,5  
brutto 9,5

OT W 715 1N



## orte OT W 715 A

### Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

### Great possibilities

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

## OT W 715 A / Technical data

● Standard

○ Option

### Base

Construction: solid oak wood - natural color (O1)	<b>01</b>	●
Construction: solid oak wood - natural color (O1)	<b>J1</b>	○
Construction: solid oak wood - coloring according to Bejot sampler book (O2, O3, O4)		○
Chrome legs connectors		●

### The colours of chairs' finishing

#### CODE

CPL colour white/ charcoal/ black	●
-----------------------------------	---

### Feet

#### CODE

Feet for ceramic floors, concrete, carpets	<b>WK</b>	●
Felt feet for wooden floors, panels	<b>WF</b>	○

## OT W 715 A / Technical data

### Code names marks

#### CODE

Whole CPL/ plywood	<b>1N</b>
--------------------	-----------




Upholstered seat cover

**2N**

## OT W 715 A / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

seat height: overall dimensions	A
seat height: measured according to the norm PN EN 1335 - 1	B
chair height	C
backrest height	D
headrest height	E
dimensional width chair / ø base	F
seat width	G
backrest width	H
width between armrests	I
height from the floor to the armrest	K
backrest lenght	L
dimensional chair depth	M
seat depth / seat lenght	N



OT W 715 A 1N



H: 880  
W: 580  
L: 660

1 szt.  
St.  
pc.

H: 950  
W: 650  
L: 600

2 szt.  
St.  
pc.



netto 5,5  
brutto 8,5

**Omega Ekspres SIA**

LV40003402577

Biroja adrese: Lāčplēša 125, LV-1003, Rīga

**www.city-office.lv**

info@city-office.lv