



## ovidio OV 1M2 black

### **Essence of beauty**

The Ovidio, an essence of beauty and comfort. A unique swive with its lightness. A gem intended for the rooms that stand ou offering exceptional convenience.

#### Breathable membrane

A breathable membrane only on the backrest of the armchair you will feel convenience of using it all over the surface. Than armchair will surprise you from the first use.



light grey mesh black mesh

## OV 1M2 black / Technical data

Standard

 $\bigcirc$  Option

Mechanism	CODE	
Rocker mechanism (frame colour) with backrest lockin 1 position	ον	•
Shell	CODE	
Black mesh	MOBL	•
Light grey mesh	MOLG	0
Knitted fabric in graphite melange colour	SGR	0

### Glaslift

Black

•

## OV 1M2 black / Technical data

### Base

Plastic 5-star base (nylon) Ø700 + standard black ring (RB)	17	•
Polished aluminium 5-star base (chrome effect) Ø690	22	0
Powder coated aluminium 5-star base Ø 690	23	0
Polished aluminium 5-star base (chrome effect) Ø700 SB	32	0
Powder coated aluminium 5-star base (colors according to Bejot sampler book) Ø 700 SB	33	0
Polished aluminum 5-star base (chrome effect) Ø 700 SBF Flexi (3D movement)	34	0

### Armrests

Fixed armrests, unregulated		•


### Castors

Hard castors for soft floors Ø 65 with auto-brake	DEMA	•
Soft castors for hard floors Ø 65 with auto-brake	DEMAD	0
Universal castors, chrome	DEMD-C	0
Universal castors with brake function, colour white	ROL W	0
Universal castors with brake function, colour grey	ROL G	0
Universal castors with brake function, colour chrome	ROL C	0
Colour	CODE	
OV 1M2 black - frame, mechanism and armrests in black	BLACK	
OV 1M2 white - frame, mechanism and armrests in white	WHITE	

## OV 1M2 black / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

seat height: overall dimensions	А
seat height: measured according to the norm PN EN 1335 - 1	В
chair height adjustment	С
backrest height adjustment	D
headrest height adjustment	Е
dimensional width chair / ø base	F
seat width	G
backrest width	Н
width between armrests	I
armrest height adjustment	К
backrest lenght	L
dimensional chair depth	М
seat depth adjustment / seat lenght	Ν





## ovidio OV 1M2 white

### **Essence of beauty**

The Ovidio, an essence of beauty and comfort. A unique swive with its lightness. A gem intended for the rooms that stand ou offering exceptional convenience.

### Breathable membrane

A breathable membrane only on the backrest of the armchair you will feel convenience of using it all over the surface. Than armchair will surprise you from the first use.



light grey mesh black mesh

## OV 1M2 white / <u>Technical data</u>

Standard

 $\bigcirc$  Option

Mechanism	CODE	
Rocker mechanism (frame colour) with backrest lockin 1 position	ον	•
Shell	CODE	
Black mesh	MOBL	•
Light grey mesh	MOLG	0
Knitted fabric in graphite melange colour	SGR	0

### Glaslift

Black

## OV 1M2 white / Technical data

### Base

Plastic 5-star base (nylon) Ø700 + standard black ring (RB)	17	•
Polished aluminium 5-star base (chrome effect) Ø690	22	0
Powder coated aluminium 5-star base Ø 690	23	0
Polished aluminium 5-star base (chrome effect) Ø700 SB	32	0
Powder coated aluminium 5-star base (colors according to Bejot sampler book) Ø 700 SB	33	0
Polished aluminum 5-star base (chrome effect) Ø 700 SBF Flexi (3D movement)	34	0

### Armrests

Fixed armrests, unregulated			•


### Castors

Hard castors for soft floors Ø 65 with auto-brake	DEMA	•
Soft castors for hard floors Ø 65 with auto-brake	DEMAD	0
Universal castors, chrome	DEMD-C	0
Universal castors with brake function, colour white	ROL W	0
Universal castors with brake function, colour grey	ROL G	0
Universal castors with brake function, colour chrome	ROL C	0
Kolorystyka	KOD	
OV 1M2 black - ramka, mechanizm i podłokietniki w kolorze czarnym	BLACK	
OV 1M2 white - ramka, mechanizm i podłokietniki w kolorze białym	WHITE	

## OV 1M2 white / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

seat height: overall dimensions	А
seat height: measured according to the norm PN EN 1335 - 1	В
chair height adjustment	С
backrest height adjustment	D
headrest height adjustment	Е
dimensional width chair / ø base	F
seat width	G
backrest width	Н
width between armrests	I
armrest height adjustment	К
backrest lenght	L
dimensional chair depth	М
seat depth adjustment / seat lenght	Ν



Omega Ekspress SIA LV40003402577 Biroja adrese: Lāčplēša 125, LV-1003, Rīga www.city-office.lv info@city-office.lv