



## dual DU 103 black

### Combination of two materials

An inspiration for a development of the Dual armchair was to combine two different materials into a harmonious whole. As a result of this combination, we created an armchair with a profiled backrest, with a characteristic back, in which the plastic panel "blends" into a soft upholstery. This is the only model in our offer, where embroidery with a logo is made for you free of charge.

### Maximum comfort

The Dual ensures maximum comfort of sitting not only due to the wide backrest and the seat, but also the use of the thick foam increasing the comfort of sitting. Try it yourself and feel the difference.

## DU 103 black / Technical data

● Standard

○ Option

### Mechanism

Synchro and self-weighing—the spring force automatically adapts to the weight of the sitting person, range of adjustable recline angle(backrest:20°,seat:5°)

**B** ●

Synchro and self-weighing—the spring force automatically adapts to the weight of the sitting person, range of adjustable recline angle(backrest:20°,seat:5°), with an adjustable seat depth (range: 58mm)

**B+X** ○

Synchro mechanism with the backrest fixed in 4 positions (range of the adjustable recline angle: backseat: 22°, seat: 13°)

**M** ○

Synchro mechanism with the backrest fixed in 4 positions (range of the adjustable recline angle: backseat: 22°, seat: 13°), with an adjustable seat depth

**M+X** ○

Fast-synchro with backrest fixed in 4 positions (range of recline angle: backrest: 20°, seat: 8°)<sup>1</sup>

**FS** ○

Fast-synchro with backrest fixed in 4 positions (range of recline angle: backrest: 20°, seat: 8°), with seat depth adjustment (range: 58mm)

**FS+X** ○

### Additional adjustment

Adjustable backrest height (range: 80 mm)

●

Adjustable lumbar support depth (range: 15 mm)

**BLS** ☐

## Base

Plastic 5-star base (nylon) Ø700 + standard black ring (RB)	<b>17</b>	<input checked="" type="radio"/>
Plastic 5-star base (nylon) Ø700 + ring color: white (RW)/ red (RR)/ green (RG)	<b>17R</b>	<input type="radio"/>
Polished aluminium 5-star base (chrome effect) Ø690	<b>22</b>	<input type="radio"/>
Powder coated aluminium 5-star base (colors according to Bejot sampler book) Ø 690	<b>23</b>	<input type="radio"/>
Polished aluminium 5-star base (chrome effect) Ø700 SB	<b>32</b>	<input type="radio"/>
Powder coated aluminium 5-star base (colors according to Bejot sampler book) Ø 700 SB	<b>33</b>	<input type="radio"/>
Polished aluminum 5-star base (chrome effect) Ø 700 SBF Flexi (3D movement)	<b>34</b>	<input type="radio"/>

## DU 103 black / Technical data

### Armrest

Without arms		<input checked="" type="radio"/>
Armrests adjustable up and down (range: 80 mm) with a soft cover plus:		
• const. nylon black/thermo polyurethane armpad (TPU) fully recycling	<b>P48B</b>	<input type="radio"/>
• const. powder painted ALU/thermo polyurethane armpad (TPU) fully recycling	<b>P48A</b>	<input type="radio"/>
• const. polished aluminium (chrome effect)/thermo polyurethane armpad (TPU) fully recycling	<b>P48C</b>	<input type="radio"/>
• const. nylon black/polyurethane armpad (PU) front-back regulation (range 60 mm)	<b>P49B</b>	<input type="radio"/>
• const. powder painted ALU/polyurethane armpad (PU) front-back regulation (range 60 mm)	<b>P49A</b>	<input type="radio"/>
• const. polished aluminium(chrome effect)/polyurethane armpad(PU) front-back regulation(range 60mm)	<b>P49C</b>	<input type="radio"/>
• const. nylon black/armpad PU adjustment width. (range 30 mm) and front-back (range 50 mm)	<b>P52B</b>	<input type="radio"/>

### Castors

Hard castors for soft floors Ø 65 with auto-brake	<b>DEMA</b>	<input checked="" type="radio"/>
Soft castors for hard floors Ø 65 with auto-brake	<b>DEMAD</b>	<input type="radio"/>

## Headrest for DU 103

---

Adjustable up and down (range: 65 mm) and at an angle (42° recline angle)/upholstered with black leather



Adjustable up and down (range: 65 mm) and at an angle (42° recline angle)/upholstered with fabric (except for NICE)


**BLS**



## DU 103 black / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

seat height: overall dimensions	A
seat height: measured according to the norm PN EN 1335 - 1	B
chair height adjustment	C
backrest height adjustment	D
headrest height adjustment	E
dimensional width chair / ø base	F
seat width	G
backrest width	H
width between armrests	I
armrest height adjustment	K
backrest lenght	L
dimensional chair depth	M
seat depth adjustment / seat lenght	N



DU 103



## dual DU 102 black

### Combination of two materials

An inspiration for a development of the Dual armchair was to combine two different materials into a harmonious whole. As a result of this combination, we created an armchair with a profiled backrest, with a characteristic back, in which the plastic panel "blends" into a soft upholstery. This is the only model in our offer, where embroidery with a logo is made for you free of charge.

### Maximum comfort

The Dual ensures maximum comfort of sitting not only due to the wide backrest and the seat, but also the use of the thick foam increasing the comfort of sitting. Try it yourself and feel the difference.

## DU 102 black / Technical data

● Standard

○ Option

### Mechanism

Synchro and self-weighing—the spring force automatically adapts to the weight of the sitting person, range of adjustable recline angle(backrest:20°,seat:5°)

**B**



Synchro and self-weighing—the spring force automatically adapts to the weight of the sitting person, range of adjustable recline angle(backrest:20°,seat:5°), with an adjustable seat depth (range: 58mm)

**B+X**



Synchro mechanism with the backrest fixed in 4 positions (range of the adjustable recline angle: backseat: 22°, seat: 13°)

**M**



Synchro mechanism with the backrest fixed in 4 positions (range of the adjustable recline angle: backseat: 22°, seat: 13°), with an adjustable seat depth

**M+X**



Fast-synchro with backrest fixed in 4 positions (range of recline angle: backrest: 20°, seat: 8°)<sup>1</sup>

**FS**



Fast-synchro with backrest fixed in 4 positions (range of recline angle: backrest: 20°, seat: 8°), with seat depth adjustment (range: 58mm)

**FS+X**



### Additional adjustment

### CODE

Adjustable backrest height (range: 80 mm)



Adjustable lumbar support depth (range: 15 mm)

**BLS**



## Base

Plastic 5-star base (nylon) Ø700 + standard black ring (RB)

**17**



Plastic 5-star base (nylon) Ø700 + ring color: white (RW)/ red (RR)/ green (RG)

**17R**



Polished aluminium 5-star base (chrome effect) Ø690

**22**



Powder coated aluminium 5-star base (colors according to Bejot sampler book) Ø 690

**23**



Polished aluminium 5-star base (chrome effect) Ø700 SB

**32**



Powder coated aluminium 5-star base (colors according to Bejot sampler book) Ø 700 SB

**33**



Polished aluminum 5-star base (chrome effect) Ø 700 SBF Flexi (3D movement)

**34**



## DU 102 black / Technical data

### Armrest

Without arms



Armrests adjustable up and down (range: 80 mm) with a soft cover plus:

• const. nylon black/thermo polyurethane armpad (TPU) fully recycling

**P48B**



• const. powder painted ALU/thermo polyurethane armpad (TPU) fully recycling

**P48A**



• const. polished aluminium (chrome effect)/thermo polyurethane armpad (TPU) fully recycling

**P48C**



• const. nylon black/polyurethane armpad (PU) front-back regulation (range 60 mm)

**P49B**



• const. powder painted ALU/polyurethane armpad (PU) front-back regulation (range 60 mm)

**P49A**



• const. polished aluminium(chrome effect)/polyurethane armpad(PU) front-back regulation(range 60mm)

**P49C**



• const. nylon black/armpad PU adjustment width. (range 30 mm) and front-back (range 50 mm)

**P52B**



### Castors

Hard castors for soft floors Ø 65 with auto-brake

**DEMA**



Soft castors for hard floors Ø 65 with auto-brake


**DEMAD**



## DU 102 black / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

seat height: overall dimensions	A
seat height: measured according to the norm PN EN 1335 - 1	B
chair height adjustment	C
backrest height adjustment	D
headrest height adjustment	E
dimensional width chair / ø base	F
seat width	G
backrest width	H
width between armrests	I
armrest height adjustment	K
backrest lenght	L
dimensional chair depth	M
seat depth adjustment / seat lenght	N



DU 102

**Omega Ekspres SIA**

LV40003402577

Biroja adrese: Lāčplēša 125, LV-1003, Rīga

**www.city-office.lv**

info@city-office.lv