



Cadeira


1. Dimensions/Weight




CADEIRA 4L
weight: 7.40 kg




CADEIRA 4L-ARM / FRONT
weight: 8.30 kg




CADEIRA 4L-ARM
weight: 8.30 kg



**HANGER FOR
CADEIRA WRITING TABLETS**
weight: 4.20 kg



CADEIRA WRITING TABLET



**UNIVERSAL CHAIR ROW
CONNECTOR**
weight: 0.95 kg

2. Materials/Versions

2.1. Frame

2.1.1. Frame

4-leg frame – made of $\varnothing 22 \times 2$ mm chromium plated steel tube. .

Front/back cross bars and armrest bracket made of $\varnothing 22 \times 2.5$ mm chromium plated steel tube.

Stacking:

All versions – up to 6 pcs Cadeira 4L-WOOD – stacking buffer as standard Cadeira 4L SEAT-PLUS, PLUS and B-PLUS, A-PLUS – stacking cushion as an option to be ordered and assembled separately.

2.1.2. Click/link

CLICK-J4 – link integrated with frame applicable to 4-leg frame chairs with or without armrests, made of $\varnothing 6$ mm chromium plated rod. Numbering is not available. Chairs with CLICK-J4 can be stacked.

CLICK-J3-NRM – link integrated with frame applicable to 4-leg chairs with or without armrests, made of $\varnothing 6$ mm chromium plated rod (slider) with black click bracket (PA + GF) with place for interchangeable magnetic numbering. The numbering to be ordered separately. Chairs with CLICK-J3-NRM can be stacked.

ROW LINK EN 14703

- dedicated to connect Cadeira chairs,
- the set made of steel sheet,
- powder-coated in Jet black RAL 9005 (BL) colour.

UNIVERSAL ROW CONNECTOR

- dedicated to connect rows of chairs,
- distance adjustment: 440–500 mm,
- possibility of mounting to the floor,
- powder-coated in Jet black RAL 9005 (BL) colour.

CADEIRA ROW CONNECTOR


- dedicated to connect rows of Cadeira chairs,
- possibility of mounting to the floor,
- made of steel flat bar with sleeves welded at the ends,
- powder-coated in White aluminium RAL 9006 (ALU) colour.

2.2. Glides

Glides for soft floors (GB) as standard or for hard floors (GBF) as an option.

Self-levelling glides for soft floors (GBP) or hard floors (GBPF) both as an option – chair with self-levelling glides is approx. 20 mm higher.

Acoustic glides (GBA) – special structure reduces the noise emitted by glides by over 50 % in comparison to standard glides. Glides do not scratch surfaces.



2.3. Seat and backrest

Options for Cadeira 4L, 4L-ARM / FRONT, 4L-ARM:

Wooden shell (WOOD) – made of 8-layer beech plywood, thickness 10.5 mm

Laminated wooden shell (LAMINATE) – made of 8-layer beech plywood, thickness 10.5 mm. Visible plywood edges protected with wax.

Wooden shell with upholstered pad on seat (SEAT-PLUS) – the structure of seat pad is made of 3-layer beech plywood, thickness 4.5 mm, covered with foam thickness 15 mm, density 25 kg / m³.

Wooden shell with upholstered seat pad and backrest pad (PLUS) – seat and backrest pad structure made of 3-layer beech plywood, thickness 4.5 mm, covered with foam thickness 15 mm, density 25 kg / m³.

Wooden shell with fully upholstered front part of the shell (B-PLUS) – structure of pad made of 3-layer beech plywood, thickness 4.5 mm, covered with foam thickness 15 mm, density 25 kg / m³. Wooden back part of the shell.

Fully upholstered shell (A-PLUS) – structure made of 8-layer beech plywood, thickness 10.5 mm, covered with foam density 25 kg / m³,

thickness 20 mm (seat); 15 mm (backrest); 10 mm (back and bottom of seat shell).

WALL PROTECTION SYSTEM – frame construction enables 40 mm distance between backrest and the wall to prevent it from scratching.

2.4. Armrests

Fixed armrests – integrated with chair frame, armrest pads made of 10-layer beech plywood, thickness 12 mm.

Finish options:

- stained (NF-xx),
 - laminated (NF-xx),
 - plastic PP reinforced with glass fiber (NF-PP).
- 4L-ARM / FRONT model – chair can be hung on the table top.

2.5. Writing tablet

Writing tablet (right and left hand version) – made of 8-layer beech plywood, thickness 12 mm.

Frame made of $\varnothing 12$ chromium plated rod. Joints made of polyamide with fiberglass. Available for Cadeira 4L-ARM model only.

Finish options:

- stained plywood,
- laminated plywood, visible plywood edges protected with wax.

2.6. Hanger for Cadeira writing tablets

Hanger frame is made of steel tube $\varnothing 22 \times 1.5$ mm, powder-coated in White aluminium RAL 9006 colour, upper bar – chromium plated. Castors with brake. Hanger for Cadeira writing tablets can store up to 25 tablets. It can be disassembled into a pair of legs and two connecting bars.

3. Packaging

4L, 4L-ARM, 4L-ARM / FRONT – 2 pieces per box (assembled).

4. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

GS Safety Certificate.

Omega Ekspres SIA

LV40003402577

Biroja adrese: Lāčplēša 125, LV-1003, Rīga

www.city-office.lv

info@city-office.lv