

# Tambour storages technical specification



**.mdd**

**.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.**

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of management systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

**More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.**

**.mdd is higly aware of the environment.**

Being located in the forest region with lake by it's side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



## General informations:

### Warranty:

.mdd products – **5 years**.

Electrical components and fabric – **2 years**.

### Certyficate - MFC:



### Compliant with standards:

PN-EN 14073-2:2006

### Boards density:

12 mm – 690 – 750 kg/m<sup>3</sup>

18 mm – 650 – 690 kg/m<sup>3</sup>

28 mm – 610 – 630 kg/m<sup>3</sup>

36 mm – 610 – 630 kg/m<sup>3</sup>


### Assembly:

the product comes pre-assembled

### Packing:

cardboard, bubble wrap, stretch foil

Tambour storages




- 1. Top - MFC 28 mm, ABS edge
- 2. Shelf - MFC 18 mm, protection against accidental falling-out, ABS edge
- 3. Body - MFC 18 mm, ABS edge
- 4. Base - MFC 18 mm, ABS edge
- 5. Leveling feet 27 mm - range 5 mm
- 6. Patent lock
- 7. Front - tambour
- 8. **OPTION WITH EXTRA CHARGE** - metal base - colour: M009 - aluminium semi-matt


## Tambour storages \*




**A2L04**  
800 / 432 / 740  
34.5 kg




**A3L04**  
800 / 432 / 1129  
58 kg




**A4L04**  
800 / 432 / 1481  
58 kg




**A2L05**  
1000 / 432 / 740  
46 kg




**A3L05**  
1000 / 432 / 1129  
61 kg




**A4L05**  
1000 / 432 / 1481  
73 kg




**A2L06**  
1200 / 432 / 740  
49.5 kg




**A3L06**  
1200 / 432 / 1129  
67.4 kg




**A4L06**  
1200 / 432 / 1481  
81 kg




**A2L08**  
1600 / 432 / 740  
60 kg



**A3L08**  
1600 / 432 / 1129  
81 kg



**A2L16**  
1610 / 432 / 740  
60 kg




**A3L16**  
1610 / 432 / 1129  
81 kg

\* dimensions expressed in millimeters: width x depth x height

## Top, base, body



## Tambour front



\* body - II group

**Omega Ekspres SIA**

LV40003402577

Biroja adrese: Lāčplēša 125, LV-1003, Rīga

**www.city-office.lv**

info@city-office.lv

Tambour storages Standard	Date of preparation 13.10.2021	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 5/5
			colours