

Cabinet with UV-C fluorescent lamps technical specification



.mdd

.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for its products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of management systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.

.mdd is highly aware of the environment.

Being located in the forest region with lake by its side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



General informations:

Warranty:

.mdd products – **5 years**.

Electrical components and fabric – **2 years**.

Certificate - MFC:



Compliant with standards:

PN-EN 14073-2:2006

Boards density:

12 mm – 690 – 750 kg/m³

18 mm – 650 – 690 kg/m³

28 mm – 610 – 630 kg/m³

36 mm – 610 – 630 kg/m³


Assembly:

product delivered in separate elements

Packing:

cardboard, bubble wrap, stretch foil


Cabinet with UV-C fluorescent lamps



- 1. **Top** - MFC 28 mm, ABS edge
- 2. **Back** - MFC 18 mm, ABS edges
- 3. **Body** - MFC 18 mm, ABS edge
- 4. **Coat rod**
- 5. **Front** - MFC 18 mm, ABS edge, plain hinge 110°
 - lockable with an electro - magnetic lock managed by a controller
 - "decontamination" cycle lasts 15 minutes, and during that time the fronts remain locked, electro - magnetic lock releases automatically after the decontamination process is finished
- 6. **Aluminum handle:**
 - Standard - vertical handle, aluminium
 - Pro (OPTION WITH EXTRA CHARGE) - horizontal handle, aluminium, espagnolette lock - two-point
- 7. **Base** - MFC 18 mm, ABS edge
- 8. **Leveling feet** 27 mm - range 5 mm
- 9. **OPTION WITH EXTRA CHARGE** - metal base - colour: M009 - aluminium semi-matt
- 10. **Fluorescent lamps with UV - C radiation** - radiation in the range of shorter UV wavelength with a maximum at 253.7nm (UV-C), and bactericidal properties

Note - The cabinet is delivered with a pre-programmed controller - changing the factory settings may decrease the decontamination efficiency.

Cabinet with UV-C fluorescent lamps *



A6204UVC
801 / 600 / 1833
92 kg

* dimensions expressed in millimeters: width x depth x height

Cabinet UV_C	Date of preparation 13.10.2021	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 4/5
			products

Top, base, body, front



08 Black *

26 Aluminum
satinato *

31 Canadian oak



39 Polar birch



64 Cocoa



67 White pastel *

106 Lowland
walnut

154 Anthracite *




167 Grey oak



168 Natural oak



169 Honey oak



170 Acacia



171 Dark walnut

* body - II group

Omega Ekspres SIA

LV40003402577

Biroja adrese: Lāčplēša 125, LV-1003, Rīga

www.city-office.lv

info@city-office.lv

Cabinet UV_C	Date of preparation 13.10.2021	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 5/5
			colours